
SAMSUNG LED
Illuminated

5 YEAR WARRANTY*



LED LIGHTING Q2-2022

CATALOG

V-TAC®
INNOVATIVE LED LIGHTING

2009

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide





2011

Began our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria

2012

Manufacturing joint venture with MEKA Lighting





2013

Started building our distribution network in the UK from our office in Southall, London.

2015

Launched our in-house product testing lab in Sofia, Bulgaria.





2016

Achieved $100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting

2017

In-brand Partnership with Samsung and launched the V-TAC PRO Series





2018

- Partnership with Tuya and launched new Smart Series
- Unveiled the new V-TAC Showroom in Slough, UK
- Launched new product groups

2019

Opened new 2500 square meter showroom in Bulgaria.





2020

- New website launch
- Opened new showroom in Ireland.

Since 2018, we at V-TAC have been successfully developing and launching the esteemed PRO Series – a product of our partnership with Samsung, a global pioneer in the LED industry. Boasting of LEDs provided by Samsung and a five-year warranty, this great feat resulted in the continuous growth of the PRO series catalogue to meet and exceed our customers' requirements and expectations throughout the years.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

Driven by our mission to continuously improve quality of life through lighting, we have further improved our products and launched the Evolution Series in 2019. The range included V-TAC's bestselling lamps and luminaries, upgraded with a staggering 160 lumen-per- watt rating, offering efficient options even for intensive lighting requirements.

evolution

V-TAC proudly introduces Solar Panels to its broad catalogue of innovations to improve energy efficiency in residential, commercial, and industrial establishments.

SOLAR ENERGY

We have developed a number of new series in the past few years.

V-TAC SMART HOME

Wi-Fi supported home solutions to convert any device into a smart device, and ultimately convert any home into a smart home. Have systematic, unified control on all your smart devices through the official V-TAC app, Amazon Alexa and Google Home.

V-TAC SMART LIGHT

Wi-Fi-supported home lighting system simultaneously controlled through the V-TAC app; works with Amazon Alexa & Google Home.

Download Our Retail Catalogue:
HTTPS://TINYURL.COM/VTAC-DIGITAL

DIGITAL

Long-lasting, fast-charging data cables for everyday use. Includes a wide range of cable finishes and connectors for different usage types.

ELECTRICAL

Insect Killer, Robot Vacuum Cleaner & Convection Heaters, Sockets — all designed to bring convenience and safety to modern electrical needs.

AUDIO


New series of wireless speakers devices with various modes & wireless controls for a dynamic sound experience & maximum portability.

In 2020, we finished the upgrade and expansion of our Warehouse in Bulgaria with the Warehouse Management System (WMS) which allowed us to accommodate more stock, thereby enabling us to maintain fulfillment of orders despite logistic challenges due to Brexit and the global pandemic. Along with this development, both the PRO Series & Evolution Series have been growing and will continue to improve in the years ahead to offer the best lighting solutions in residential, commercial, and industrial projects.











V-TAC®

INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

THE PRO-SERIES IS A SUBSTANTIAL RANGE OF PRODUCTS, CONSTRUCTED WITH ALL NEW SAMSUNG CHIPS. THIS SERIES IS THE IDEAL PRODUCT RANGE FOR PROFESSIONAL USE.



26
LED Floodlights



76
LED Street Lights



96
LED Highbay Lights



108
LED Panels



120
LED Tubes & Fittings



142
LED Linear Lights



158
LED Track Lights



172
LED Dome Lights



202
LED Emergency Lights



206
LED Strip Lights



208
LED Spotlights




216
LED Bulbs

V-TAC®

INNOVATIVE LED LIGHTING

SAMSUNG LED

Illuminated



LED FLOODLIGHTS

V-TAC's LED Floodlights are manufactured with industry-leading components to deliver exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of die-cast Aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also water and dust proof.

This extensive range of floodlights is ready to impress in terms of efficiency brought on by the Samsung LEDs. The PIR series comes with an auto-cutoff function(Manual Override)

Key Features

- 10w to 1000w
- IP65 rating — high-quality components to ensure waterproof/airtight performance
- Modern and strong Die-cast Aluminium body with a minimalistic design, for high-end support and design
- Product category includes high lumen, slimline, PIR series, rechargeable, work floodlight, and sports floodlights
- Select units include a 1-meter wire for convenience and easy installation

Application

Recommended for any outdoor lighting application in residential, commercial, and industrial areas

5 YEAR WARRANTY

IP65 RATING

120 Lumen/W



V-TAC®
INNOVATIVE LED LIGHTING

LED FLOODLIGHTS | High Lumen Slimline Pro Series

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000

evolution
EFFICIENCY
185
LUMENS/W




IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Useful lumens	Box Qty
VT-30185	20449 | 4000K DAY WHITE 20450 | 6400K WHITE	30w	4720	10 pcs

NEW






Model	SKU	Watts	Useful lumens	Box Qty
VT-50185	20451 | 4000K DAY WHITE 20452 | 6400K WHITE	50w	7870	10 pcs

NEW






Model	SKU	Watts	Useful lumens	Box Qty
VT-100185	20453 | 4000K DAY WHITE 20454 | 6400K WHITE	100w	15750	4 pcs

NEW






Model	SKU	Watts	Useful lumens	Box Qty
VT-150185	20455 | 4000K DAY WHITE 20456 | 6400K WHITE	150w	23600	2 pcs

NEW





Model	SKU	Watts	Useful lumens	Box Qty
VT-200185	20457 | 4000K DAY WHITE 20458 | 6400K WHITE	200w	31500	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | High Lumen Slimline Pro Series

evolution
EFFICIENCY
160
LUMENS/W

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000




IP65 RATING

5 YEAR WARRANTY


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






Model	SKU	Watts	Useful lumens	Box Qty
VT-32	20402 | 4000K DAY WHITE 20403 | 6500K WHITE	30w	4100	10 pcs






Model	SKU	Watts	Useful lumens	Box Qty
VT-52	20404 | 4000K DAY WHITE 20405 | 6500K WHITE	50w	6850	10 pcs






Model	SKU	Watts	Useful lumens	Box Qty
VT-132	20406 | 4000K DAY WHITE 20407 | 6500K WHITE	100w	13700	4 pcs





Model	SKU	Watts	Useful lumens	Box Qty
VT-162	20408 | 4000K DAY WHITE 20409 | 6500K WHITE	150w	20500	2 pcs






Model	SKU	Watts	Useful lumens	Box Qty
VT-302	20410 | 4000K DAY WHITE 20411 | 6500K WHITE	200w	27350	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHT | Light Sensor

- Sensor Floodlights are convenient and easy to install.
- The lights are powered directly from the power source.
- They will automatically function according to daylight levels.
- Floodlights will be off if natural light is above 140lux, and on if natural light is below 140lux.
- There is no need to turn the light on or off.
- Light Sensor does not work when motion is detected.



- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-37	20169 | 3000K WARM WHITE 20170 | 4000K DAY WHITE 20171 | 6500K WHITE	30w	3000	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-57	20172 | 3000K WARM WHITE 20173 | 4000K DAY WHITE 20174 | 6500K WHITE	50w	5000	10 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-117	20175 | 3000K WARM WHITE 20176 | 4000K DAY WHITE 20177 | 6500K WHITE	100w	10000	4 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-167	20178 | 3000K WARM WHITE 20179 | 4000K DAY WHITE 20180 | 6500K WHITE	150w	15000	2 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-272	20181 | 3000K WARM WHITE 20182 | 4000K DAY WHITE 20183 | 6500K WHITE	200w	20000	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Evolution Series

Only from V-TAC – the super bright series – the first and only LED floodlights rated at 160 lumens per watt offer you superior efficiency and great energy savings.

- Aluminium body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >70
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SuperBRIGHT 160 LUMENS/W





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-4961	5918 | 4000K DAY WHITE 5919 | 6400K WHITE	50w	8000lm	10 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-49161	5920 | 4000K DAY WHITE 5921 | 6400K WHITE	100w	16000lm	4 pcs



1 METER WIRE





Model	SKU	Watts	Lumen	Box Qty
VT-49261	5922 | 4000K DAY WHITE 5923 | 6400K WHITE	200w	32000lm	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHT | Direct Connection

- Instant Start in 1 second
- Operation in Outside Temperature (-20 to+40° C)
- Protection Rating IP65
- Only connect with waterproof cable hose

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118	20304 | 3000K WARM WHITE 20305 | 4000K DAY WHITE 20306 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128	20307 | 3000K WARM WHITE 20308 | 4000K DAY WHITE 20309 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138	20310 | 3000K WARM WHITE 20311 | 4000K DAY WHITE 20312 | 6500K WHITE	30w	2340	10 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-158	20313 | 3000K WARM WHITE 20314 | 4000K DAY WHITE 20315 | 6500K WHITE	50w	4000	10 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated

LED FLOODLIGHT | Direct Connection with PIR Sensor (Black Body)

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.



- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating






IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118S-B	20256 | 3000K WARM WHITE 20257 | 4000K DAY WHITE 20258 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128S-B	20259 | 3000K WARM WHITE 20260 | 4000K DAY WHITE 20261 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138S-B	20262 | 3000K WARM WHITE 20263 | 4000K DAY WHITE 20264 | 6500K WHITE	30w	2340	10 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-158S-B	20265 | 3000K WARM WHITE 20266 | 4000K DAY WHITE 20267 | 6500K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHT | Direct Connection with PIR Sensor (White Body)

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.



- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating






IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118S-W	20268 | 3000K WARM WHITE 20269 | 4000K DAY WHITE 20270 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128S-W	20271 | 3000K WARM WHITE 20272 | 4000K DAY WHITE 20273 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138S-W	20274 | 3000K WARM WHITE 20275 | 4000K DAY WHITE 20276 | 6500K WHITE	30w	2340	10 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-158S-W	20277 | 3000K WARM WHITE 20278 | 4000K DAY WHITE 20279 | 6500K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHT | PIR Sensor (Black Body)



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118S-1-B	20280 | 3000K WARM WHITE 20281 | 4000K DAY WHITE 20282 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128S-1-B	20283 | 3000K WARM WHITE 20284 | 4000K DAY WHITE 20285 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138S-1-B	20286 | 3000K WARM WHITE 20287 | 4000K DAY WHITE 20288 | 6500K WHITE	30w	2340	10 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-158S-1-B	20289 | 3000K WARM WHITE 20290 | 4000K DAY WHITE 20291 | 6500K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHT | PIR Sensor (White Body)



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-118S-1-W	20292 | 3000K WARM WHITE 20293 | 4000K DAY WHITE 20294 | 6500K WHITE	10w	735	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-128S-1-W	20295 | 3000K WARM WHITE 20296 | 4000K DAY WHITE 20297 | 6500K WHITE	20w	1510	20 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-138S-1-W	20298 | 3000K WARM WHITE 20299 | 4000K DAY WHITE 20300 | 6500K WHITE	30w	2340	10 pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-158S-1-W	20301 | 3000K WARM WHITE 20302 | 4000K DAY WHITE 20303 | 6500K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Slimline White Body high lumen

The V-TAC LED High Lumen Floodlight offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

- Die-cast aluminium body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

120 lm/W
Brighter & energy-efficient
50% better than normal LED





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-56-W	762 | 4000K DAY WHITE 763 | 6400K WHITE	50w	6000	8 pcs
VT-56-W-N	21762 | 4000K DAY WHITE	50w	5750	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-106-W	768 | 4000K DAY WHITE	100w	12000	4 pcs
VT-106-W-N	21768 | 4000K DAY WHITE	100w	11500	4 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-156-W	774 | 4000K DAY WHITE 775 | 6400K WHITE	150w	18000	2 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-206-W	787 | 4000K DAY WHITE 788 | 6400K WHITE	200w	24000	2 pcs
VT-206-W-N	21787 | 4000K DAY WHITE	200w	23000	2 pcs







1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-306-W	793 | 4000K DAY WHITE 794 | 6400K WHITE	300w	36000	2 pcs
VT-306-W-N	21793 | 4000K DAY WHITE	300w	34500	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Slimline Black Body high lumen

The V-TAC LED High Lumen Floodlight offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

- Die-cast aluminium body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

120 lm/W
Brighter & energy-efficient
50% better than normal LED





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-56-B	760 | 4000K DAY WHITE 761 | 6400K WHITE	50w	6000	8 pcs
VT-56-B-N	21760 | 4000K DAY WHITE 21761 | 6500K WHITE	50w	5750	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-106-B	766 | 4000K DAY WHITE 767 | 6400K WHITE	100w	12000	4 pcs
VT-106-B-N	21766 | 4000K DAY WHITE 21767 | 6500K WHITE	100w	11500	4 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-156-B	772 | 4000K DAY WHITE 773 | 6400K WHITE	150w	18000	2 pcs
VT-156-B-N	21772 | 4000K DAY WHITE 21773 | 6500K WHITE	150w	17300	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-206-B	778 | 4000K DAY WHITE 779 | 6400K WHITE	200w	24000	2 pcs
VT-206-B-N	21778 | 4000K DAY WHITE 21779 | 6500K WHITE	200w	23000	2 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-306-B	791 | 4000K DAY WHITE 792 | 6400K WHITE	300w	36000	2 pcs
VT-306-B-N	21791 | 4000K DAY WHITE 21792 | 6500K WHITE	300w	34500	2 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-405	964 | 4000K DAY WHITE 965 | 6400K WHITE	400w	48000	1 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-505	966 | 4000K DAY WHITE 967 | 6400K WHITE	500w	60000	1 pcs







1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-1055	968 | 4000K DAY WHITE 969 | 6400K WHITE	1000w	120000	1 pcs
VT-1055-N	21969 | 6500K WHITE	1000w	120000	1 pcs



*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Slimline Grey Body high lumen

The V-TAC LED High Lumen Floodlight offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

- Die-cast aluminium body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

120 lm/W
Brighter & energy-efficient
50% better than normal LED





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-56-G	764 | 4000K DAY WHITE 765 | 6400K WHITE	50w	6000	8 pcs
VT-56-G-N	21764 | 4000K DAY WHITE 21765 | 6500K WHITE	50w	5750	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-106-G	770 | 4000K DAY WHITE 771 | 6400K WHITE	100w	12000	4 pcs
VT-106-G-N	21770 | 4000K DAY WHITE 21771 | 6500K WHITE	100w	11500	4 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-156-G	777 | 6400K WHITE	150w	18000	2 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-206-G	789 | 4000K DAY WHITE 790 | 6400K WHITE	200w	24000	2 pcs
VT-206-G-N	21789 | 4000K DAY WHITE 21790 | 6500K WHITE	200w	23000	2 pcs







1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-306-G	795 | 4000K DAY WHITE 796 | 6400K WHITE	300w	36000	2 pcs
VT-306-G-N	21796 | 6500K WHITE	300w	34500	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Slimline White Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a die-cast IP65 body for durability. Available in 10W to 300W in a clean, ivory white finish. Select models come with a one (1) meter wire.

- Die-cast body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-10-W	427 | 3000K WARM WHITE 428 | 4000K DAY WHITE 429 | 6400K WHITE	10w	800	20 pcs
VT-10-W-N	21427 | 3000K WARM WHITE	10w	735	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-20-W	442 | 3000K WARM WHITE 443 | 4000K DAY WHITE 444 | 6400K WHITE	20w	1600	20 pcs
VT-20-W-N	21442 | 3000K WARM WHITE	20w	1510	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-W	403 | 3000K WARM WHITE 404 | 4000K DAY WHITE 405 | 6400K WHITE	30w	2400	10 pcs
VT-30-W-N	21403 | 3000K WARM WHITE 21404 | 4000K DAY WHITE	30w	2340	10 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-1-W	950 | 6400K WHITE	30w	2400	10 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-50-W	409 | 3000K WARM WHITE 410 | 4000K DAY WHITE 411 | 6400K WHITE	50w	4000	8 pcs
VT-50-W-N	21409 | 3000K WARM WHITE 21410 | 4000K DAY WHITE 21411 | 6500K WHITE	50w	4000	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-50-1-W	952 | 6400K WHITE	50w	4000	8 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-100-W	415 | 3000K WARM WHITE 416 | 4000K DAY WHITE 417 | 6400K WHITE	100w	8000	4 pcs
VT-100-W-N	21415 | 3000K WARM WHITE 21416 | 4000K DAY WHITE 21417 | 6500K WHITE	100w	8200	4 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-150-W	478 | 3000K WARM WHITE 479 | 4000K DAY WHITE 480 | 6400K WHITE	150w	12000	2 pcs









1 METER WIRE

Model	SKU	Watts	Lumen	Box Qty
VT-200-W	420 | 4000K DAY WHITE 421 | 6400K WHITE	200w	16000	2 pcs







1 METER WIRE


Model	SKU	Watts	Lumen	Box Qty
VT-300-W	486 | 4000K DAY WHITE 487 | 6400K WHITE	300w	24000	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Slimline Black Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a die-cast IP65 body for durability. Available in 10W to 300W in a classic, jet black finish. Select models come with a one (1) meter wire.

- Die-cast body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-10-B	424 | 3000K WARM WHITE 425 | 4000K DAY WHITE 426 | 6400K WHITE	10w	800	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-20-B	439 | 3000K WARM WHITE 440 | 4000K DAY WHITE 441 | 6400K WHITE	20w	1600	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-B	400 | 3000K WARM WHITE 401 | 4000K DAY WHITE 402 | 6400K WHITE	30w	2400	10 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-50-B	406 | 3000K WARM WHITE 407 | 4000K DAY WHITE 408 | 6400K WHITE	50w	4000	8 pcs
VT-50-B-N	21406 | 3000K WARM WHITE 21407 | 4000K DAY WHITE 21408 | 6500K WHITE	50w	4000	8 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-10-1-B	947 | 6400K WHITE	10w	800	20 pcs
VT-10-1-B-N	21947 | 6500K WHITE	10w	735	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-20-1-B	20012 | 4000K DAY WHITE 948 | 6400K WHITE	20w	1600	20 pcs
VT-20-1-B-N	21948 | 6500K WHITE	20w	1510	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-1-B	20013 | 4000K DAY WHITE 949 | 6400K WHITE	30w	2400	10 pcs
VT-30-1-B-N	21949 | 6400K WHITE	30w	2340	10 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-50-1-B	20014 | 4000K DAY WHITE 951 | 6400K WHITE	50w	4000	8 pcs
VT-50-1-B-N	2120014 | 4000K DAY WHITE 21951 | 6500K WHITE	50w	4000	8 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-100-B	412 | 3000K WARM WHITE 413 | 4000K DAY WHITE 414 | 6400K WHITE	100w	8000	4 pcs
VT-100-B-N	21412 | 3000K WARM WHITE 21413 | 4000K DAY WHITE 21414 | 6400K WHITE	100w	8200	4 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-150-B	475 | 3000K WARM WHITE 476 | 4000K DAY WHITE 477 | 6400K WHITE	150w	12000	2 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-200-B	418 | 4000K DAY WHITE 419 | 6400K WHITE	200w	16000	2 pcs
VT-200-B-N	21419 | 6500K WHITE	200w	16500	2 pcs







Model	SKU	Watts	Lumen	Box Qty
VT-300-B	422 | 4000K DAY WHITE 423 | 6400K WHITE	300w	24000	2 pcs
VT-300-B-N	21422 | 4000K DAY WHITE	300w	24800	2 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz

LED FLOODLIGHTS | Slimline Grey Body

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a die-cast IP65 body for durability. Available in 10w to 300 watts, in a modern, neutral grey finish. Select models come with a one (1) meter wire.

- Die-cast body
- 100° beam angle
- 30,000-hour lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating





IP65 RATING

5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-10-G	430 | 3000K WARM WHITE 431 | 4000K DAY WHITE 432 | 6400K WHITE	10w	800	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-20-G	445 | 3000K WARM WHITE 446 | 4000K DAY WHITE 447 | 6400K WHITE	20w	1600	20 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-30-G	454 | 3000K WARM WHITE 455 | 4000K DAY WHITE 456 | 6400K WHITE	30w	2400	10 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-50-G	463 | 3000K WARM WHITE 464 | 4000K DAY WHITE 465 | 6400K WHITE	50w	4000	8 pcs
VT-50-G-N	21464 | 4000K DAY WHITE	50w	4000	8 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.









Model	SKU	Watts	Lumen	Box Qty
VT-100-G	472 | 3000K WARM WHITE 473 | 4000K DAY WHITE 474 | 6400K WHITE	100w	8000	4 pcs
VT-100-G-N	21473 | 4000K DAY WHITE	100w	8200	4 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-150-G	481 | 3000K WARM WHITE 482 | 4000K DAY WHITE 483 | 6400K WHITE	150w	12000	2 pcs









Model	SKU	Watts	Lumen	Box Qty
VT-200-G	484 | 4000K DAY WHITE 485 | 6400K WHITE	200w	16000	2 pcs







Model	SKU	Watts	Lumen	Box Qty
VT-300-G	488 | 4000K DAY WHITE 489 | 6400K WHITE	300w	24000	2 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | PIR Sensor White Body

Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

- 30,000-hour lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m




IP65 RATING


5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-10-S-W	433 | 3000K WARM WHITE 434 | 4000K DAY WHITE 435 | 6400K WHITE	10w	800	20 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-20-S-W	448 | 3000K WARM WHITE 449 | 4000K DAY WHITE 450 | 6400K WHITE	20w	1600	20 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-30-S-W	457 | 3000K WARM WHITE 458 | 4000K DAY WHITE 459 | 6400K WHITE	30w	2400	20 pcs



1 METER WIRE





Model	SKU	Watts	Lumen	Box Qty
VT-50-S-W	466 | 3000K WARM WHITE 467 | 4000K DAY WHITE 468 | 6400K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | PIR Sensor Black Body

Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for an even better, high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

- 30,000-hour lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m




IP65 RATING


5 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-10-S-B	436 | 3000K WARM WHITE 437 | 4000K DAY WHITE 438 | 6400K WHITE	10w	800	20 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-20-S-B	451 | 3000K WARM WHITE 452 | 4000K DAY WHITE 453 | 6400K WHITE	20w	1600	20 pcs



1 METER WIRE







Model	SKU	Watts	Lumen	Box Qty
VT-30-S-B	460 | 3000K WARM WHITE 461 | 4000K DAY WHITE 462 | 6400K WHITE	30w	2400	20 pcs



1 METER WIRE






Model	SKU	Watts	Lumen	Box Qty
VT-50-S-B	469 | 3000K WARM WHITE 470 | 4000K DAY WHITE 471 | 6400K WHITE	50w	4000	10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Rechargeable Floodlight

A strong, reliable, and portable lamp — V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port making it perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

- IP Rating – IP44
- AC:100–240V
- On/Off cycle: >15000
- CRI>80
- Rechargeable
- 30,000-hour lifespan
- PF>0.9
- Beamangle: 100





SOS FLASH

USB PORT

MICRO SOCKET

Model	SKU	Watts	Lumen	Plug	Box Qty
VT-10-R	20038 | 4000K DAY WHITE 503 | 6400K WHITE	10w	700	micro usb cable without SOS Flash	20 pcs
VT-11-R	20037 | 4000K DAY WHITE 502 | 6400K WHITE	10w	700	micro usb cable	20 pcs
VT-20-R	20039 | 4000K DAY WHITE 504 | 6400K WHITE	20w	1400	micro usb cable	20 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz

LED FLOODLIGHTS | Work Floodlight

V-TAC's heavy-duty, reliable LED work floodlight is designed with dual voltage AC:85-265V and comes with a 3-meter wire. Includes a EU/BS plug for optional direct connections. With an adjustable stand and carry handle, our work light is ideally suited for garages, workshops, basements, car repair shops and more.

- Input AC:85-265V,50Hz
- CRI >80
- PF >0.9
- 30,000-hour lifespan
- 100° Beam Angle
- Material: Die-cast Aluminium
- 3 Meter wire length
- IP44





WIDE VOLTAGE
85V- 265V

3 METER WIRE

LINKABLE


Model	SKU	Watts	Lumen	Plug	Box Qty
VT-51	945 | 4000K DAY WHITE 946 | 6400K WHITE	50w	4000	EU Plug	8 pcs
VT-51-BS	20065 | 6400K WHITE	50w	4000	BS Plug	8 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Grey Glass-Yellow Work Floodlight

V-TAC's LED Work Light is designed with a wide voltage range: 100–265VAC and comes with a 1.5-meter wire. A built-in BS plug – for optional direct connections – makes this floodlight an ideal tool for construction sites, facade lighting, lobbies, garages, passages, parking lots and other locations.

- AC:100–265V,50/60Hz
- 100° beam angle
- 30,000-hour lifespan
- CRI >80
- PF >0.9
- IP65 Rating
- Material: Die-cast Aluminium
- On/Off cycle: >15000
- 1.5 meter wire with BS plug





WIDE VOLTAGE 100-265V

1.5 METER WIRE

IP65 RATING


Model	SKU	Watts	Lumen	Plug	Box Qty
VT-58	20121 | 6400K WHITE	50w	5000	BS Plug	10 pcs
VT-108	20122 | 6400K WHITE	100w	10000	BS Plug	4 pcs
VT-108-N	2120122 | 6400K WHITE	100w	9400	BS Plug	4 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Slim Floodlight H-stand

A powerful, slim-built floodlight with a heavy-duty H-stand for high quality outdoor lighting performance. The floodlight can be tilted/ rotated and comes with a three-meter wire for maximum portability. Perfect for industrial areas – construction sites, repair shops and garages, warehouses, etc.

- Input AC:220-240V,50Hz
- CRI >80
- PF >0.9
- 25,000-hour lifespan
- 100° Beam Angle
- Material: Die-cast Aluminium
- On/Off cycle: >15000
- H-stand with 3 meter wire (EU Plug)





IP65 RATING

3 METER WIRE

Model	SKU	Watts	Lumen	Plug	Box Qty
VT-109	20124 | 4000K DAY WHITE 20125 | 6400K WHITE	100w	8000	EU Plug	10 pcs
VT-109-N	2120124 | 4000K DAY WHITE 2120125 | 6400K WHITE	100w	8200	EU Plug	10 pcs


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS | Sports Light

The new LED Sports Light with Samsung LEDs offers a variety of light distribution options up to 67500 lumens. Excellent energy efficiency, low maintenance costs, and a strong, unbreakable exterior that can withstand ball strikes remarkably well compared to traditional fluorescent and HID options.

- LED provided by Samsung
- Saves 80% energy
- IP65 Rating
- MEAN WELL driver
- Contains no lead or mercury
- -hour lifespan of 30,000-hour lifespan





120 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY

DIMMABLE LIGHT CONTROL

MEAN WELL

IP65 RATING

Model	SKU	Watts	Lumen	Beam Angle	Box Qty
VT-500D	490 | 5000K WHITE	500w	67500	45°	1 pcs
VT-501D	493 | 5000K WHITE	500w	67500	110°	1 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz

LED FLOODLIGHTS | Super Pro Series

Available in 250W, 500W, and 1000W, our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency — these floodlights are equipped with critically acclaimed LEDs provided by Samsung and excellent MEAN WELL drivers to ensure optimal energy saving and temperature dissipation.

- 60° & 120° Beam Angle (Rotatable)
- CRI: >70
- PF: > 0.9
- AC: 100–277V
- Material: Die-cast Aluminium
- 50,000-hour lifespan

120 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY


IP66 RATING

MEAN WELL
Your Reliable Power Partner

IK08 RATING


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.






Model	SKU	Watts	Lumen	Beam Angle	Box Qty
VT-253D	494 | 4000K DAY WHITE 500 | 6400K WHITE	250w	30000	120°	1 pcs
VT-252D	495 | 4000K DAY WHITE 501 | 6400K WHITE	250w	30000	60°	1 pcs





Model	SKU	Watts	Lumen	Beam Angle	Box Qty
VT-503D	496 | 4000K DAY WHITE	500w	60000	120°	1 pcs
VT-502D	497 | 4000K DAY WHITE	500w	60000	60°	1 pcs





Model	SKU	Watts	Lumen	Beam Angle	Box Qty
VT-1003D	498 | 4000K DAY WHITE	1000w	120000	120°	1 pcs
VT-1002D	499 | 4000K DAY WHITE	1000w	120000	60°	1 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



LED STREETLIGHT

Light the path to a brighter future — V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and MEAN WELL to provide uniform brightness and illumination on highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type III-M lenses.

Key Features

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; longer lifespan
- Weatherproof body – IP65/66 sealed optical cavities
- Optimally designed glass lenses to prevent eye strain
- Uniform light distribution maximizes efficiency
- Fully operational, even in extreme weather conditions
- DALI, Inventronics, MEAN WELL drivers

Application

Engineered for streets, public parks, roads & highways, crossroads, tunnels, car parks, industrial facilities, etc.


5 YEAR WARRANTY **IP65 RATING** **120 Lumen/W**




LED STREETLIGHTS | LED Streetlight with Light Sensor

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium

- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan





ADJUSTABLE



5 YEAR WARRANTY


IP65 RATING

IN-HOUSE TOOLING

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-39ST-S	20430 | 4000K DAY WHITE 20431 | 6500K WHITE	30w	3000	pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-59ST-S	20432 | 4000K DAY WHITE 20433 | 6500K WHITE	50w	5000	pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-139ST-S	20434 | 4000K DAY WHITE 20435 | 6500K WHITE	100w	11000	pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-169ST-S	20436 | 4000K DAY WHITE 20437 | 6500K WHITE	150w	16500	pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS | LED Streetlights Adjustable

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan





5 YEAR WARRANTY


IP65 RATING

IN-HOUSE TOOLING

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-39ST	20422 | 4000K DAY WHITE 20423 | 6500K WHITE	30w	3000	pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-59ST	20424 | 4000K DAY WHITE 20425 | 6500K WHITE	50w	5000	pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-79ST	20438 | 4000K DAY WHITE 20439 | 6500K WHITE	70w	7500	pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-139ST	20426 | 4000K DAY WHITE 20427 | 6500K WHITE	100w	11000	pcs

NEW





Model	SKU	Watts	Lumen	Box Qty
VT-169ST	20428 | 4000K DAY WHITE 20429 | 6500K WHITE	150w	16500	pcs

LED STREETLIGHTS | CLASS II, TYPE III-M LENS

The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150×80° — Primarily designed for lighting highways, general parking areas, and other spaces where a widely-lit area is required. Available from 80W to 200W, select models available with DALI drivers.

10 KV SURGE PROTECTION

- AC:175–265V,50HZ
- 30,000-hour lifespan
- 150 × 80° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

130 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY


INVENTRONICS DRIVER

IP65 RATING

IK08 RATING


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.






Model	SKU	Watts	Lumen	Box Qty
VT-80ST	541 | 4000K DAY WHITE	80w	10400	1 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-120ST	542 | 4000K DAY WHITE	120w	15600	1 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-160ST	543 | 4000K DAY WHITE	160w	20800	1 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-200ST	544 | 4000K DAY WHITE	200w	26000	1 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED GARDEN LIGHTS | CLASS II, TYPE III-M LENS

The LED Garden Light series offers our high lumen 50W & 100W upright and suspended lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Mean Well, these efficient, energy-saving garden lights are great alternatives to traditional lighting options.

10 KV SURGE PROTECTION

- AC:176–265V,50HZ
- Die-cast Aluminium
- 30,000-hour lifespan
- Beam Angle: 150×80° | 160×100° (Suspended Light)
- Instant start: 0–100% in <1sec
- On/off cycle: >20,000 times
- CRI: >70
- PF: > 0.9
- IK08 rating

130 lm/W

Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY

INVENTRONICS DRIVER

IP65 RATING


IK08 RATING

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.


STREET LIGHT



SUSPENDED


GARDEN LIGHT




Model	SKU	Watts	Lumen	Box Qty
VT-895	8679 | 5700K WHITE	50w	6750	1 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-55-1	782 | 4000K DAY WHITE	50w	6500	1 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-105	783 | 4000K DAY WHITE	100w	13000	1 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-115ST	545 | 4000K DAY WHITE	100w	13000	1 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS | Class I, Inventronics Driver Streetlight

The Class I Type LED streetlight offers a high lumen output and superbly efficient performance , further improved with the industry-leading Inventronics driver. Primarily designed for lighting highways, general parking areas, and other spaces where [wide area lighting/a widely-litarea] is required. Ranges 50W to 150W.

- AC: 90–305V,50Hz
- 30,000-hour lifespan
- 153×70° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

140 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY


INVENTRONICS DRIVER

IP65 RATING

IK08 RATING


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.






Model	SKU	Watts	Lumen	Box Qty
VT-53ST	953 | 5700K WHITE	50w	7000	2 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-103ST	954 | 5700K WHITE	100w	14000	2 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-153ST	955 | 5700K WHITE	150w	21000	1 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS | High Lumens

With options ranging from 100W up to 200W, V-TAC's innovative selection of streetlights introduces the new dimmable series with Samsung LEDs and world-renowned Inventronics drivers. Streetlights can be easily tailored for many night lighting needs of different areas and regions.

- AC:200-240V
- Die-cast Aluminium
- 30,000-hour lifespan
- CRI: >70
- PF: > 0.9
- 153×70° Beam Angle

140 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY


INVENTRONICS DRIVER

IP65 RATING

IK08 RATING


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






Model	SKU	Watts	Lumen	Box Qty
VT-102ST	883 | 4000K DAY WHITE 884 | 5700K WHITE	100w	14000	1 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-122ST	885 | 4000K DAY WHITE 886 | 5700K WHITE	120w	16800	1 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-152ST	887 | 4000K DAY WHITE 888 | 5700K WHITE	150w	21000	1 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-202ST	889 | 4000K DAY WHITE 890 | 5700K WHITE	200w	28000	1 pcs


*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS | Slim Streetlight

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Primarily designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30w to 150w.

- Input AC:120-240V,50/60Hz
- CRI >70
- PF >0.9
- 30,000-hour lifespan
- 110° Beam Angle
- Material aluminium

120 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY


IP65 RATING

IK08 RATING

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




Model	SKU	Watts	Lumen	Box Qty
VT-34ST	956 | 4000K DAY WHITE 957 | 6400K WHITE	30w	3600	4 pcs
VT-34ST-N	21956 | 4000K DAY WHITE 21957 | 6500K WHITE	30w	4050	4 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-54ST	958 | 4000K DAY WHITE 959 | 6400K WHITE	50w	6000	4 pcs
VT-54ST-N	21958 | 4000K DAY WHITE 21959 | 6500K WHITE	50w	6850	4 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-104ST	960 | 4000K DAY WHITE 961 | 6400K WHITE	100w	12000	2 pcs
VT-104ST-N	21960 | 4000K DAY WHITE 21961 | 6500K WHITE	100w	13500	2 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-154ST	962 | 4000K DAY WHITE 963 | 6400K WHITE	150w	18000	2 pcs
VT-154ST-N	21962 | 4000K DAY WHITE 21963 | 6500K WHITE	150w	20300	2 pcs



*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS | Streetlight-Grey

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

- AC: 175–265V,50Hz
- Die-cast Aluminium
- 30,000-hour lifespan
- 110° Beam Angle
- CRI: >70
- PF: > 0.9

120 lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY


IP65 RATING

IK07 RATING

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.




Model	SKU	Watts	Lumen	Box Qty
VT-30ST	525 | 4000K DAY WHITE 526 | 6400K WHITE	30w	3600	4 pcs
VT-30ST-N	21525 | 4000K DAY WHITE	30w	2810	4 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-50ST	527 | 4000K DAY WHITE 528 | 6400K WHITE	50w	6000	4 pcs
VT-50ST-N	21527 | 4000K DAY WHITE 21528 | 6500K WHITE	50w	4700	4 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-100ST	529 | 4000K DAY WHITE 530 | 6400K WHITE	100w	12000	2 pcs
VT-100ST-N	21529 | 4000K DAY WHITE 21530 | 6500K WHITE	100w	9400	2 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-150ST	531 | 4000K DAY WHITE 532 | 6400K WHITE	150w	18000	2 pcs
VT-150ST-N	21531 | 4000K DAY WHITE	150w	14100	2 pcs



*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS

Retaining the classic design of the V-TAC streetlight in Iron Grey finish, this series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000

- AC:200-240V
- Die-cast Aluminium
- Beam Angle: 110° | 65×135° (with lens)
- CRI: >70
- PF: > 0.9
- 30,000-hour lifespan



3 YEAR WARRANTY

IP65 RATING


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING




Model	SKU	Watts	Lumen	Box Qty
VT-31ST	537 | 4000K DAY WHITE 538 | 6400K WHITE	30w	3000	4 pcs
VT-31ST-N	21537 | 4000K DAY WHITE 21538 | 6400K WHITE	30w	2350	4 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-51ST	539 | 4000K DAY WHITE 540 | 6400K WHITE	50w	5000	4 pcs
VT-51ST-N	21539 | 4000K DAY WHITE 21540 | 6400K WHITE	50w	4200	4 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-101ST	535 | 4000K DAY WHITE 536 | 6400K WHITE	100w	10000	2 pcs
VT-101ST-N	21535 | 4000K DAY WHITE 21536 | 6400K WHITE	100w	8400	2 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-121ST	533 | 4000K DAY WHITE 534 | 6400K WHITE	120w	12000	2 pcs








Model	SKU
VT-795	3624

Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.





Model	SKU
VT-795-1	3668

Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



LED HIGHBAY LIGHTS

Our world-class Highbay range includes models with drivers from MEAN WELL and Samsung — both key players in the LED driver market that boasts exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000-hour lifespan, V-TAC's new generation of LED Highbays are the strongest and most efficient LED Highbays available in the market today. Available in 100W to 500W.

Key Features

- Professional upgraded drivers from MEAN WELL and Samsung
- Strong and durable Die-cast Aluminium body
- IP65 rating
- SMD LED
- Compatible with Daylight Sensors
- Up to 30,000-hour lifespan
- Available reflectors for a customized beam angle: Aluminium & PC transparent

Application

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling

5 YEAR WARRANTY **IP65 RATING** **120 Lumen/W**



REFLECTOR HIGHBAYS | SAMSUNG Power Supply

With our latest in-branding program with Samsung, these Highbays offer a high lumen output of up to 180 lm/w and boasts efficiency in every lumen with Samsung's cutting edge drivers. With strong, IP65-rated die-cast Aluminium enclosing and unparalleled lighting performance, these LED Highbays are sure to take the industrial lighting market by storm.

- 120 lm/w
- 30,000 & 50,000-hour lifespan
- AC:220-240V,50Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminium

USING
SAMSUNG
POWER SUPPLY

180
lm/W
Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY


1-10V DIMMABLE

IP65 RATING

IK08 RATING

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-103	577 | 4000K DAY WHITE 578 | 6400K WHITE	100w	12000	1 pcs






120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-105	583 | 4000K DAY WHITE 584 | 6400K WHITE	100w	12000	1 pcs






evolution 160 LUMENS/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-113	20024 | 4000K DAY WHITE 20025 | 6000K WHITE	100w	16000	1 pcs






V-TAC PERFORMANCE 180 LUMENS/WATT

Model	SKU	Watts	Lumen	Box Qty
VT-9-108	575 | 4000K DAY WHITE 576 | 6400K WHITE	100w	18000	1 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






V-TAC PERFORMANCE 180 LUMENS/WATT

MEAN WELL Your Reliable Power Partner

Powerful performance with ultra-efficient energy management. With a staggering high lumen rating of 180 lm/w matched with the highly acclaimed MEAN WELL driver and IP65 Aluminium body.

Model	SKU	Watts	Lumen	Box Qty
VT-9-102	566 | 4000K DAY WHITE 567 | 6400K WHITE	100w	18000	2 pcs





V-TAC PERFORMANCE 180 LUMENS/WATT

MEAN WELL Your Reliable Power Partner

Powerful performance with ultra-efficient energy management. With a staggering high lumen rating of 180 lm/w matched with the highly acclaimed MEAN WELL driver and IP65 Aluminium body.

Model	SKU	Watts	Lumen	Box Qty
VT-9-120	568 | 4000K DAY WHITE 569 | 6400K WHITE	120w	21600	2 pcs

Aluminium Reflector-90°



SKU
570

Aluminium Reflector-120°



SKU
571

PC Transparent Reflector-120°



SKU
574

PC Dustproof Cover



SKU
586

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED HIGHBAY LIGHTS | MEAN WELL Driver

MW MEAN WELL *Your Reliable Power Partner*

This advanced LED Highbays are ready to impress with its high lumen ratings and LED chips from Samsung. This range is equipped with drivers from MEAN WELL — a key player in the LED driver industry for a strong and efficient performance.

- Available in 100 – 500 watts
- 50,000-hour lifespan
- On/Off cycle: >25000
- Instant start: 0–100% in <1s
- AC:95–265V,50/60Hz
- Die cast Aluminium
- PF: >0.9
- CRI:>80

120 lm/W

Brighter & energy-efficient
50% better than normal LED



5 YEAR WARRANTY


1–10V DIMMABLE

IP65 RATING

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.




DALI
Dimming



120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-106	585 | 4000K DAY WHITE	100w	12000	1 pcs






120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-100	564 | 4000K DAY WHITE 565 | 6400K WHITE	100w	12000	4 pcs






120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-101	562 | 4000K DAY WHITE 563 | 6400K WHITE	100w	12000	4 pcs






120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-150	560 | 4000K DAY WHITE 561 | 6400K WHITE	150w	18000	2 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-114	20063 | 4000K DAY WHITE 20064 | 5000K WHITE	100w	12000	1 pcs






140 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-151N	55811 | 4000K DAY WHITE 55911 | 6400K WHITE	150w	21000	1 pcs






120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-151	558 | 4000K DAY WHITE 559 | 6400K WHITE	150w	18000	2 pcs





120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-200	580 | 4000K DAY WHITE 581 | 6400K WHITE	200w	24000	1 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED HIGHBAYS | PRO UFO Series 90°

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Body Type: Die Cast Aluminium
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000




5 YEAR WARRANTY

IP65 RATING

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW






IP65 RATING

Model	SKU	Watts	Lumen	Box Qty
VT-9-116S	20319 | 4000K DAY WHITE 20320 | 6500K WHITE	100w	11500	4 pcs

NEW






Model	SKU	Watts	Lumen	Box Qty
VT-9-156S	20321 | 4000K DAY WHITE 20322 | 6500K WHITE	150w	17300	4 pcs


NEW





Model	SKU	Watts	Lumen	Box Qty
VT-9-206S	20323 | 4000K DAY WHITE 20324 | 6500K WHITE	200w	23000	4 pcs





120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-9-500	509 | 4000K DAY WHITE	500w	60000	1 pcs

140LM/W Highbay Sensor



SKU
20123

- Rated Voltage: AC:100/277V, 50/60Hz
- Working Mode: On/Off Function, 1-10V step dimming
- IP Rating: IP65
- Hold Time: 5s/30s/1min/3min/5min/10min/20min/30min
- Stand-by Dim Level: 10%/20%/30%/50%
- Stand-by Period: 0s/10s/1min/3min/5min/10min/30min/+∞
- Detection Area: 25%/50%/75%/100%
- Detection Angle: 360°(ceiling mounting)
- Daylight Sensor: 5lux/15lux/30lux/50lux/100lux/150lux/Disable (Ambient light diffusion)
- Compatible with VT-9-151N and VT-9-200N

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR LOW BAY LIGHTS

Our series of LED LowBay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories. Lowbay light has proven to be approximately 50% more efficient than perpendicular lighting layout, it also decreases eye strain. This range offers ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts. Available in 100w to 200w.

- AC:220-240v,50HZ
- On/off: >20,000 times
- IP54 rating
- Lifespan – 30,000 hrs
- Aluminium body
- Heat and Shock Resistant.
- Ideal for workshops, supermarkets, warehouses, etc.
- PF: >0.9
- CRI:>80
- Beam Angle: 112°

120 lm/w
Brighter & energy-efficient
50% better than normal LED




5 YEAR WARRANTY

IK07 RATING

IP54 RATING


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






Model	SKU	Watts	Lumen	Box Qty
VT-9-112	891 | 4000K DAY WHITE 892 | 6000K WHITE	100w	12000	6 pcs
VT-9-112-N	21891 | 4000K DAY WHITE 21892 | 6500K WHITE	100w	9800	9 pcs





Model	SKU	Watts	Lumen	Box Qty
VT-9-152	893 | 4000K DAY WHITE 894 | 6000K WHITE	150w	18000	6 pcs
VT-9-152-N	21893 | 4000K DAY WHITE	150w	14500	6 pcs






Model	SKU	Watts	Lumen	Box Qty
VT-9-202	895 | 4000K DAY WHITE 896 | 6000K WHITE	200w	24000	6 pcs
VT-9-202-N	21895 | 4000K DAY WHITE 21896 | 6500K WHITE	200w	19500	6 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffusers which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminium+PMMA+PP, and its energy-saving upgrade through the improved driver box and Samsung LEDs. Both frameless and big panels are inclusive of a quick connector for easy installation.

Key Features

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

Application

Widely used in offices, schools, hospitals, and commercial establishments

5 YEAR WARRANTY

120 Lumen/W




V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED PANELS | PRO 60×60

Our LED panels are made with high-quality PMMA diffusers which prevents them from turning yellow over time and makes it emit strong and evenly distributed light. Also available in the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.


- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium + PMMA + PP
- 110° Beam Angle
- CRI >80
- PF>0.9
- 50,000-hour lifespan
- On/Off Cycle >25000



5 YEAR WARRANTY

QUICK CONNECTOR

FLICKER FREE




	Model	SKU	Watts	Lumen	Box Qty
PMMA Diffuser	VT-629-N	21200471 | 4000K DAY WHITE	26w	3480	6 pcs
PMMA Diffuser	VT-629	20047 | 4000K DAY WHITE 20048 | 6400K WHITE	29w	3480	6 pcs
PMMA Diffuser	VT-645-N	2163300 | 4000K DAY WHITE 2163411 | 6400K WHITE	40w	4950	6 pcs
PMMA Diffuser	VT-645	632 | 3000K WARM WHITE 633 | 4000K DAY WHITE 634 | 6400K WHITE	45w	3600	6 pcs
UGR<19	VT-649	20119 | 4000K DAY WHITE	45w	3600	6 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED PANELS
PRO 60×60 High Lumen


- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200–240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000



5 YEAR WARRANTY

120 lm/W

Model	SKU	Watts	Lumen	Box Qty
VT-629-1	20419 | 4000K DAY WHITE	29w	3480	6 pcs




LED PANELS
PRO 60×60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200–240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000



5 YEAR WARRANTY

Model	SKU	Watts	Lumen	Box Qty
VT-645-1	20421 | 4000K DAY WHITE 20420 | 6400K WHITE	45w	4830	6 pcs



*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED BACKLIT PANEL | Evolution Panels Series

evolution 160 LUMENS/W

This 25w LED panel delivers 4000 lumens through its impressive 160 lm/w rating. With the flexibility to be installed recessed or surface-mounted, it is sure to be one of the best preferred panels in the market.


- SMD LED Type
- 20,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >80
- FE+PS

2 IN 1 RECESSED OR SURFACE

2 YEAR WARRANTY



Model	SKU	Watts	Lumen	Box Qty
VT-6125	6600 | 3000K WARM WHITE 6601 | 4000K DAY WHITE 6602 | 6400K WHITE	25w	4000	1 pcs



*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED PANELS | High Lumen 120×60

120 lm/W


- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200–240V, 50/60Hz
- Body Type: Aluminium + PMMA + PP
- 110° Beam Angle
- CRI >80
- PF>0.9
- 50,000-hour lifespan
- On/Off Cycle >25000

5 YEAR WARRANTY

QUICK CONNECTOR



Model	SKU	Watts	Lumen	Box Qty
VT-646-N	21748 | 4000K DAY WHITE 21749 | 6400K WHITE	40w	5400	2 pcs
VT-646	748 | 4000K DAY WHITE 749 | 6400K WHITE	45w	5400	2 pcs



*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz

LED MINI PANELS | Round Adjustable Panel




V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect.

- Adjustable(Cut out) Panel
- SMD LED Type
- 20,000-hour lifespan
- 120° Beam Angle
- AC:85-265V,50/60Hz
- CRI: >80
- Aluminium Body
- On/Off Cycle: >15000

5 YEAR WARRANTY

QUICK CONNECTOR



Model	SKU	Watts	Lumen	Cutting Size	Dimension	Box Qty
VT-610RD	727 | 3000K WARM WHITE 728 | 4000K DAY WHITE 729 | 6400K WHITE	12w	750	75-100mm		20 pcs
VT-619RD	733 | 3000K WARM WHITE 734 | 4000K DAY WHITE 735 | 6400K WHITE	18w	1350	75-100mm		20 pcs
VT-625RD	739 | 3000K WARM WHITE 740 | 4000K DAY WHITE 741 | 6400K WHITE	24w	1800	75-200mm		20 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED MINI PANELS | Square Adjustable Panel




V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect.

- Adjustable(Cut out) Panel
- SMD LED Type
- 20,000-hour lifespan
- 120° Beam Angle
- AC:85-265V,50/60Hz
- CRI: >80
- Aluminium Body
- On/Off Cycle: >15000

5 YEAR WARRANTY

QUICK CONNECTOR



Model	SKU	Watts	Lumen	Cutting Size	Dimension	Box Qty
VT-610SQ	730 | 3000K WARM WHITE 731 | 4000K DAY WHITE 732 | 6400K WHITE	12w	750	75-100mm		20 pcs
VT-619SQ	736 | 3000K WARM WHITE 737 | 4000K DAY WHITE 738 | 6400K WHITE	18w	1350	75-100mm		20 pcs
VT-625SQ	742 | 3000K WARM WHITE 743 | 4000K DAY WHITE 744 | 6400K WHITE	24w	1800	75-200mm		20 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED MINI PANELS | Round Edge Series




V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings.

- Quick Connector
- SMD LED Type
- 30,000-hour lifespan
- 120° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- ABS+Plastic Body

5 YEAR WARRANTY

QUICK CONNECTOR



Model	SKU	Watts	Lumen	Cutting Size	Dimension	Box Qty
VT-608RD	628 | 6400K WHITE	8w	800	ø 72 mm		100 pcs
VT-615RD	622 | 6400K WHITE	15w	1500	ø 95 mm		40 pcs
VT-620RD	614 | 3000K WARM WHITE 615 | 4000K DAY WHITE	20w	2000	ø 140 mm		40 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED MINI PANELS | Square Edge Series



V-TAC's Squre Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings.

- Quick Connector
- SMD LED Type
- 30,000-hour lifespan
- 120° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- ABS+Plastic Body

5 YEAR WARRANTY

QUICK CONNECTOR



Model	SKU	Watts	Lumen	Cutting Size	Dimension	Box Qty
VT-615SQ	617 | 3000K WARM WHITE 618 | 4000K DAY WHITE 619 | 6400K WHITE	15w	1500	95X 95mm		40 pcs
VT-620SQ	611 | 3000K WARM WHITE 612 | 4000K DAY WHITE 613 | 6400K WHITE	20w	2000	142X 142mm		40 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED MINI PANELS | Round Premium Series Panel





V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LEDs for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without flashes and flickers.

- SMD LED Type
- 30,000-hour lifespan
- 120° Beam Angle
- AC:85-265V,50/60Hz
- CRI: >80
- Aluminium Body

5 YEAR WARRANTY

QUICK CONNECTOR



Model	SKU	Watts	Lumen	Cutting Size	Dimension	Box Qty
VT-606RD	706 | 3000K WARM WHITE 708 | 6400K WHITE	6w	420	ø110mm		40 pcs
VT-612RD	712 | 3000K WARM WHITE 713 | 4000K DAY WHITE 714 | 6400K WHITE	12w	1000	ø160mm		20 pcs
VT-618RD	718 | 3000K WARM WHITE 719 | 4000K DAY WHITE	18w	1500	ø210mm		20 pcs
VT-624RD	724 | 3000K WARM WHITE 726 | 6400K WHITE	24w	2000	ø280mm		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED MINI PANELS | Square Premium Series Panel





V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LEDs for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without flashes and flickers.

- SMD LED Type
- 30,000-hour lifespan
- 120° Beam Angle
- AC:85-265V,50/60Hz
- CRI: >80
- Aluminium Body

5 YEAR WARRANTY

QUICK CONNECTOR



Model	SKU	Watts	Lumen	Cutting Size	Dimension	Box Qty
VT-606SQ	703 | 3000K WARM WHITE 704 | 4000K DAY WHITE 705 | 6400K WHITE	6w	420	110×110mm		40 pcs
VT-612SQ	709 | 3000K WARM WHITE 710 | 4000K DAY WHITE 711 | 6400K WHITE	12w	1000	160×160mm		20 pcs
VT-618SQ	715 | 3000K WARM WHITE 716 | 4000K DAY WHITE 717 | 6400K WHITE	18w	1500	210×210mm		20 pcs
VT-624SQ	721 | 3000K WARM WHITE 722 | 4000K DAY WHITE 723 | 6400K WHITE	24w	2000	280×280mm		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC®

INNOVATIVE LED LIGHTING

SAMSUNG LED

Illuminated



LED TUBES & BATTEN FITTING

V-TAC's extensive range of efficient tubes & fixtures boasts of premium quality LED provided by Samsung, a staggering lifespan of up to 30,000-hour lifespan, an unbreakable body built with the most durable material, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include
1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
2) Batten Fittings with CCT-changing Switch
3) Linkable T5 Batten Fittings, and more.
4) Waterproof Fittings

Key Features

- LED provided by Samsung
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models

Application

Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices

5 YEAR WARRANTY **IP65 RATING** **120 Lumen/W**



T8-NANO PLASTIC TUBES | Evolution Tubes Series




Together with its impressive a++ energy rating, our led tubes offer a staggering 160 lumen per watt output and five years warranty — making it one of the most superior in the competitive led market.

- Nano Plastic
- 30,000-hour lifespan
- CRI – >80
- Flicker Free
- PF – 0.9
- On/Off Cycle – >15000 time
- Input Voltage – AC:220–240V,50Hz
- Beam angle:160 °

evolution 160 LUMENS/W

5 YEAR WARRANTY



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-1607	6474 | 3000K WARM WHITE 6475 | 4000K DAY WHITE 6476 | 6400K WHITE	7w	1120lm		25 pcs
VT-1612	6477 | 3000K WARM WHITE 6478 | 4000K DAY WHITE 6479 | 6400K WHITE	12w	1920lm		25 pcs
VT-1615	6481 | 4000K DAY WHITE 6482 | 6400K WHITE	15w	2400lm		25 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED TUBES | G13-T8 – High Lumen Nano Plastic Tube






This modern range of high lumen LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures.This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts.

120 lm/W

5 YEAR WARRANTY

- Nano Plastic Body
- 30,000-hour lifespan
- 160° Beam Angle
- 15000 On/Off
- AC:220-240V,50Hz
- CRI – >80
- >0.5 PF
- <0.5 s Instant Start



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-062	798 | 3000K WARM WHITE 686 | 4000K DAY WHITE 687 | 6400K WHITE	10w Rotatable	1100		25 pcs
VT-062-N	21798 | 3000K WARM WHITE 21686 | 4000K DAY WHITE 21687 | 6500K WHITE	7.5w	850		25 pcs
VT-122	688 | 3000K WARM WHITE 672 | 4000K DAY WHITE 673 | 6400K WHITE	18w	2250		25 pcs
VT-122-N	21688 | 3000K WARM WHITE 21672 | 4000K DAY WHITE 21673 | 6500K WHITE	16.5w	1850		25 pcs
VT-152	799 | 3000K WARM WHITE 674 | 4000K DAY WHITE 675 | 6400K WHITE	22w	3000		25 pcs
VT-152-N	21674 | 3000K WARM WHITE 21675 | 4000K DAY WHITE 21799 | 6500K WHITE	24w	3000		25 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz






LED TUBES | G13-T8 -Nano Plastic Tube

This modern range of LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures. These sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- Nano Plastic Body
- 30,000-hour lifespan
- 160° Beam Angle
- 15000 On/Off
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant Start

5 YEAR WARRANTY



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-061	650 | 3000K WARM WHITE 651 | 4000K DAY WHITE 652 | 6400K WHITE	10w Rotatable	850		25 pcs
VT-061-N	21650 | 3000K WARM WHITE 21651 | 4000K DAY WHITE 21652 | 6500K WHITE	9w	850		25 pcs
VT-121	653 | 3000K WARM WHITE 654 | 4000K DAY WHITE 655 | 6400K WHITE	18w	1700		25 pcs
VT-121-N	21654 | 4000K DAY WHITE	18w	1850		25 pcs
VT-151	656 | 3000K WARM WHITE 657 | 4000K DAY WHITE 658 | 6400K WHITE	22w	2000		25 pcs
VT-151-N	21657 | 4000K DAY WHITE 21658 | 6500K WHITE	20w	2100		25 pcs


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.





LED BATTEN FITTING | Single and Double Batten Fitting

This modern range of batten fittings offers durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- SMD LED Type
- 30,000-hour lifespan
- 160° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- Nano Plastic Body

5 YEAR WARRANTY



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-12026	6442 | 4000K DAY WHITE	18w Single	1700	 1200 mm	10 pcs
VT-15023	6438 | 4000K DAY WHITE	22w Single	2000	 1500 mm	10 pcs
VT-12027	6444 | 4000K DAY WHITE	36w Double	3400	 1200 mm	10 pcs
VT-15024	6440 | 4000K DAY WHITE	44w Double	4000	 1500 mm	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Slim Fittings-Evolution Series

- Plastic Body
- 30,000-hour lifespan
- CRI – >80
- Flicker Free
- PF – >0.9
- On/Off Cycle – >15000 time
- Input Voltage – AC:220–240V,50Hz
- Beam angle:120 °

evolution 160 LUMENS/W

5 YEAR WARRANTY

QUICK CONNECTOR



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-8315	6487 | 3000K WARM WHITE 6488 | 4000K DAY WHITE 6489 | 6400K WHITE	15w	2400	600×24.4×74.1mm	30 pcs
VT-8315-N	20359 | 3000K WARM WHITE 20360 | 4000K DAY WHITE 20361 | 6500K WHITE	15w	2250	600×75×24mm	30 pcs
VT-8330	6490 | 3000K WARM WHITE 6491 | 4000K DAY WHITE 6492 | 6400K WHITE	30w	4800	1200×24.4×74.1mm	30 pcs
VT-8330-N	20362 | 3000K WARM WHITE 20363 | 4000K DAY WHITE 20364 | 6500K WHITE	30w	4650	1200×75×24mm	30 pcs
VT-8338	6493 | 3000K WARM WHITE 6494 | 4000K DAY WHITE 6495 | 6400K WHITE	38w	6080	1500×24.4×74.1mm	30 pcs
VT-8338-N	20365 | 3000K WARM WHITE 20366 | 4000K DAY WHITE 20367 | 6500K WHITE	38w	5900	1500×45×24mm	30 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Slim Fittings

5 YEAR WARRANTY

- SMD LED Type
- 30,000-hour lifespan
- 120° Beam Angle
- 15000 On/Off
- AC:220-240V,50Hz
- CRI: >80
- PF >0.5(10W, 20W) >0.9(40W, 50W,60W)
- Plastic Body
- <1s Instant Start

QUICK CONNECTOR

120 lm/W



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-8-10	659 | 3000K WARM WHITE 660 | 4000K DAY WHITE 661 | 6400K WHITE	10w	1200	300×74.1×24.4mm	10 pcs
VT-8-10-N	20344 | 3000K WARM WHITE 20345 | 4000K DAY WHITE	10w	1000	300×75×24mm	30 pcs
VT-8-20	662 | 3000K WARM WHITE 663 | 4000K DAY WHITE 664 | 6400K WHITE	20w	2400	600×74.1×24.4mm	10 pcs
VT-8-20-N	20347 | 3000K WARM WHITE 20348 | 4000K DAY WHITE 20349 | 6500K WHITE	20w	2050	600×75×24mm	30 pcs
VT-8-40	665 | 3000K WARM WHITE 666 | 4000K DAY WHITE 667 | 6400K WHITE	40w	4800	1200×74.1×24.4mm	10 pcs
VT-8-40-N	20350 | 3000K WARM WHITE 20351 | 4000K DAY WHITE 20352 | 6500K WHITE	40w	4300	1200×75×24mm	30 pcs
VT-8-50	668 | 4000K DAY WHITE 669 | 6400K WHITE	50w	6000	1500×74.1×24.4mm	10 pcs
VT-8-50-N	20354 | 4000K DAY WHITE 20355 | 6500K WHITE	50w	6000	1500×75×24mm	30 pcs
VT-8-60	670 | 4000K DAY WHITE 671 | 6400K WHITE	60w	7200	1800×74.1×24.4mm	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | LED Batten Fittings IP20

V-TAC's all new range of LED Batten Fittings designed with LED chip by Samsung deliver high performance light output.






120 lm/W

5 YEAR WARRANTY

QUICK CONNECTOR

- SMD LED Chip
- 30,000-hour lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 120LM/W
- CRI >80
- PF >0.9 (Above 24W models)
- Built with safety belt for easy installation
- Instant Start 0-100% in <1s
- On/Off Cycles >15000



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-8-24	20066 | 4000K DAY WHITE 20067 | 6400K WHITE	24w	2880		12 pcs
VT-8-28	20070 | 4000K DAY WHITE 20071 | 6400K WHITE	28w	3360		10 pcs
VT-8-44	20068 | 4000K DAY WHITE 20069 | 6400K WHITE	40w	4800		12 pcs
VT-8-54	20072 | 4000K DAY WHITE 20073 | 6400K WHITE	50w	6000		10 pcs
VT-8-64	20074 | 4000K DAY WHITE 20075 | 6400K WHITE	60w	7200		8 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | LED Batten Fitting TP(a)

V-TAC's all-new range of LED Batten Fittings designed with LED chip by Samsung deliver high-performance light output. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional microwave sensor Primarily designed for LED Batten Fittings is also available.

- Tp(A) Rated
- 30,000-hour lifespan
- CRI – >80
- PF – 0.9
- On/Off Cycle – >15000 time
- Input Voltage – AC:220-240V,50Hz
- Programmable DIP Switch Driver

5 YEAR WARRANTY


FLICKER FREE

TP(a) Polycarbonate

Compatible Emergency Pack

Sensor Compatible



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-8-80	757 | 4000K DAY WHITE	80w	8600		10 pcs



Microwave Sensor (Optional)

SKU
759

Detection area: 4M (@3M MOUNTING HEIGHT)
Detection angle: 150°(WALL) 360°(CEILING)
Hold time: 5S / 30S / 90S / 3MIN / 30MIN
Emergency Pack designed for V-TAC's range of Samsung Batten LED Tube

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Batten Fitting CCT

EASY TOGGLE SWITCH



3000K 4000K 6400K

EASY ACCESS FOR COLOR CHANGING WITH BUTTON



The new Batten Fittings series from V-TAC boasts of its colour tuning feature with an easy-to-access, built-in switch — enabling users to gradually customise the light from a warm 3000-kelvin white light up to the standard 6400-kelvin white. Choose and switch to your preferred colour temperature anytime.

- PC+Aluminium+Steel
- 30,000-hour lifespan
- CRI – >80
- Flicker Free
- PF – 0.9
- On/Off Cycle – >20000 time
- Input Voltage – AC:220–240V,50Hz
- Beam angle:120 °

5 YEAR WARRANTY

FLICKER FREE



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-8-43	517 | 3IN1	40w	4000		10 pcs
VT-8-63	519 | 3IN1	60w	6000		10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Slim Batten Fitting

TP(a)
Polycarbonate

Sensor Compatible

120 lm/W


5 YEAR WARRANTY

FLICKER FREE

V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high-performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor Primarily designed for LED Batten are also available.

- Tp(A) Rated
- 30,000-hour lifespan
- CRI – >80
- PF – 0.9
- On/Off Cycle – >15000 time
- Input Voltage – AC:220-240V,50Hz
- Programmable DIP Switch Driver(Applicable for 60W only)



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-8-41	753 | 4000K DAY WHITE	40w	4800		4 pcs
VT-8-61	754 | 4000K DAY WHITE	60w	7200		4 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | T5 Batten Fitting

- 30,000-hour lifespan
- On/Off switch
- On/Off Cycle – >15000 time
- Body:PC
- Input Voltage – AC:220–240V
- CRI – >80
- Instant start -0–100% in <1 sec
- Beam angle:120 °

5 YEAR WARRANTY

LINKABLE
UP TO 100 WATTS TOGETHER



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-035	689 | 3000K WARM WHITE 690 | 4000K DAY WHITE 691 | 6400K WHITE	4w	360	320×30mm	25 pcs
VT-035-N	21689 | 3000K WARM WHITE 21690 | 4000K DAY WHITE 21691 | 6500K WHITE	4w	360	307 x36×90mm	25 pcs
VT-065	692 | 3000K WARM WHITE 693 | 4000K DAY WHITE 694 | 6400K WHITE	7w	630	580×30mm	25 pcs
VT-065-N	21692 | 3000K WARM WHITE	7w	630	567×36×90mm	25 pcs
VT-125	695 | 3000K WARM WHITE 696 | 4000K DAY WHITE 697 | 6400K WHITE	16w	1440	1180×30mm	25 pcs
VT-125-N	21695 | 3000K WARM WHITE 21696 | 4000K DAY WHITE 21697 | 6500K WHITE	16w	1440	1167×36×90mm	25 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Waterproof Fittings


With its IP65 rating and tough exterior, the Waterproof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these Waterproof Fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.



- SMD LED Type
- 30,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >70
- PF: >0.9

160 LUMENS/W

5 YEAR WARRANTY

IP65 RATING



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-1524	6485 | 4500K DAY WHITE 6486 | 6400K WHITE	24w	3840		12 pcs
VT-1532	6483 | 4500K DAY WHITE 6484 | 6400K WHITE	32w	5120		12 pcs


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED BATTEN FITTING | Waterproof Fittings-180CM

- SMD LED Type
- 30,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >80
- PF: >0.9

5 YEAR WARRANTY

IP65 RATING



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-180	680 | 4000K DAY WHITE 681 | 6400K WHITE	60w	5400		9 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Waterproof Fittings-High Lumens





- SMD LED Type
- 30,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >80
- PF: >0.9

5 YEAR WARRANTY

IP65 RATING

120 lm/W



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-160	678 | 4000K DAY WHITE 679 | 6400K WHITE	60w	7200		9 pcs
VT-160-N	21678 | 4000K DAY WHITE 21679 | 6000K WHITE	60w	7200		9 pcs
VT-170	676 | 4000K DAY WHITE 677 | 6400K WHITE	70w	8400		9 pcs
VT-170-N	21676 | 4000K DAY WHITE 21677 | 6000K WHITE	70w	8400		6 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Waterproof Fitting with Sensor

- SMD LED Chip
- 20,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

POLYCARBONATE PC



5 YEAR WARRANTY

120 lm/W

IP65 RATING

Microwave Sensor



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-120136S	20468 | 4000K DAY WHITE 20469 | 6400K WHITE	36w	4320		12 pcs
VT-150148S	20470 | 4000K DAY WHITE 20471 | 6400K WHITE	48w	5760		12 pcs

LED BATTEN FITTING | Emergency Waterproof Fittings

- 20,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- Battery Type:9.6V 2200mAh Ni-Cd battery
- Charging Time:24Hours
- Working Time:3Hours
- Emergency Power: 6-7W
- SMD LED Chip
- Body Type: PC
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- SS Clips

POLYCARBONATE PC





3 YEAR WARRANTY

120 lm/W

Emergency Battery Backup

IP65 RATING



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-120136E	20223 | 4000K DAY WHITE 20222 | 6400K WHITE	36w	4320		12 pcs
VT-120136E-N	2120223 | 4000K DAY WHITE 2120222 | 6400K WHITE	36w	4320		12 pcs
VT-150148E	20221 | 4000K DAY WHITE 20220 | 6400K WHITE	48w	5760		12 pcs
VT-150148E-N	2120221 | 4000K DAY WHITE 2120220 | 6400K WHITE	48w	5760		12 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Opaque Cover – M Series SS Clips

Promoting efficiency with its high lumen (120 lm/W) rating, this new addition to V-TAC's fixtures range is reinforced with secure, stainless steel clips for easier maintenance. The opaque cover allows a brighter, well-distributed light that is perfect for task lighting.



- SMD LED Chip
- 20,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

IP65 RATING

120 lm/W

3 YEAR WARRANTY



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-120136-T	20219 | 4000K DAY WHITE 20218 | 6400K WHITE	36w	4320		12 pcs
VT-150148-T	20213 | 4000K DAY WHITE 20212 | 6400K WHITE	48w	5760		12 pcs

Microwave Sensor



SKU
6622

- Rod antenna – DIP Switch
- Max Watts: 100W
- Hold Time: 5s/1min/3min/10min
- Daylight threshold: 30Lux/Disable
- Detection Area: 50%/100%
- Automatic On/Off control with daylight sensor.
- Optional detection range, hold time and daylight threshold.
- Loop in and loop out for easy installation.
- Operating Voltage: AC:220-240V, 50/60Hz
- Detection Range: ø4-10m/13.12-32.8ft (ceiling mounted)
- Compatible with V-TAC's LED Waterproof Fitting – M Series SS Clips

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Milky Cover – M Series SS Clips

- SMD LED Chip
- 20,000-hour lifespan
- 120° Beam Angle
- AC:200–240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

IP65 RATING

120 lm/W

3 YEAR WARRANTY



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-120136-M	20217 | 4000K DAY WHITE 20216 | 6400K WHITE	36w	4320	1285×365×255mm	12 pcs
VT-120136-M-N	2120217 | 4000K DAY WHITE 2120216 | 6400K WHITE	36w	4320	1285×365×255mm	12 pcs
VT-150148-M	20215 | 4000K DAY WHITE 20214 | 6400K WHITE	48w	5760	1585×365×255mm	12 pcs
VT-150148-M-N	2120215 | 4000K DAY WHITE 2120214 | 6400K WHITE	48w	5760	1585×365×255mm	12 pcs

Emergency Pack



SKU
8343

- Input Voltage: AC:220–240V,50/60Hz
- Charging Time: 24 Hours
- Emergency Power: 6–7W
- Emergency Operation time: 3 Hours
- Battery Type: Ni-Cd 9.6V 2200mAh
- Size: 212×40×30mm
- Compatible with V-TAC's LED Waterproof Fitting – M Series SS Clips Milky Cover

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTING | Transparent Cover – M Series


Promoting efficiency with its high lumen (120 lm/W) rating, this new addition to V-TAC's fixtures range. The transparent cover allows a brighter, well-distributed light that is perfect for task lighting.




- SMD LED Chip
- 20,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- Body Type: ABS+PC

IP65 RATING

120 lm/W

3 YEAR WARRANTY



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-60018-T	20209 | 4000K DAY WHITE 20208 | 6400K WHITE	18w	2160		12 pcs
VT-120036-T	20205 | 4000K DAY WHITE 20204 | 6400K WHITE	36w	4320		12 pcs
VT-150048-T	20201 | 4000K DAY WHITE 20200 | 6400K WHITE	48w	5760		12 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED BATTEN FITTING | Milky Cover -M Series

- SMD LED Chip
- 20,000-hour lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- Body Type: ABS+PC

IP65 RATING

120 lm/W

3 YEAR WARRANTY




Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-60018-M	20211 | 4000K DAY WHITE 20210 | 6400K WHITE	18w	2160	685×365×255mm	12 pcs
VT-60018-M-N	2120211 | 4000K DAY WHITE 2120210 | 6400K WHITE	18w	2160	685×365×255mm	12 pcs
VT-120036-M	20207 | 4000K DAY WHITE 20206 | 6400K WHITE	36w	4320	1285×365×255mm	12 pcs
VT-120036-M-N	2120207 | 4000K DAY WHITE 2120206 | 6400K WHITE	36w	4320	1285×365×255mm	12 pcs
VT-150048-M	20203 | 4000K DAY WHITE 20202 | 6400K WHITE	48w	5760	1585×365×255mm	12 pcs
VT-150048-M-N	2120203 | 4000K DAY WHITE 2120202 | 6400K WHITE	48w	5760	1585×365×255mm	12 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy-efficient, low-maintenance alternative to traditional linear fluorescent in industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

Key Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

Application

Ideal for lighting applications in residential, commercial, and hospitality locations.

5 YEAR WARRANTY




LED LINEAR LIGHTS | Linear 3IN1 Lights

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with a toggle switch, 3IN1 color-changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.



- 30,000-hour Lifespan
- AC:200-240V,50/60Hz
- Toggle switch – 3IN1 CCT
- Aluminium Body
- 1.5 Meter Wire Length




5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
		VT-7-44	20060 | 3IN1	40w	3200	12

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Up & Down Linear Lights (Non-Linkable)



This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- 30,000-hour Lifespan
- AC:100–240V,50Hz
- Aluminium Body
- 1–10V Dimmable
- 1.5 Meter Wire Length
- UP-110°-Down-50° Beam Angle

1–10V DIMMABLE


5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
	Silver	VT-7-61-S	607 | 4000K DAY WHITE	UP 30w DOWN 30w	UP-3300 DOWN-3300	8
	White	VT-7-61-W	606 | 4000K DAY WHITE	UP 30w DOWN 30w	UP-3300 DOWN-3300	8

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Up & Down Linear Hanging Lights



This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- 30,000-hour Lifespan
- AC:100–240V,50/60Hz
- Aluminium Body
- Linkable with connectors
- 1–10V Dimmable
- UP-110°-Down-50° Beam Angle

1–10V DIMMABLE

5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
	Silver	VT-7-62-S	609 | 4000K DAY WHITE	UP 30w DOWN 30w	UP-3300 DOWN-3300	4
	White	VT-7-62-W	608 | 4000K DAY WHITE	UP 30w DOWN 30w	UP-3300 DOWN-3300	4

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Linear Hanging Lights (Non-Dimmable)



Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- 30,000-hour Lifespan
- AC:200-240V,50/60Hz
- 1.5 Meter Wire Length
- Aluminium Body
- 120° Beam Angle

LINKABLE
UP TO 12 METERS TOGETHER


5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
	Black	VT-7-40-B	882 | 3000K WARM WHITE 374 | 4000K DAY WHITE 600 | 6000K WHITE	40w	3200	12
	Black	VT-7-40-B-N	21882 | 3000K WARM WHITE 21374 | 4000K DAY WHITE 21600 | 6400K WHITE	40W	3270	12
	Silver	VT-7-40-S	375 | 4000K DAY WHITE 601 | 6000K WHITE	40w	3200	12
	Silver	VT-7-40-S-N	21375 | 4000K DAY WHITE	40W	3300	12
	White	VT-7-40-W	376 | 4000K DAY WHITE 602 | 6000K WHITE	40w	3200	12
	White	VT-7-40-W-N	21376 | 4000K DAY WHITE 21602 | 6400K WHITE	40W	3360	12

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Slim Up & Down Linear Lights



This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.

- 30,000-hour Lifespan
- AC:200-240V,50/60Hz
- Aluminium Body
- 120° Beam Angle
- Linkable with connectors
- 0-10V Dimmable
- 1.5 Meter Wire Length

LINKABLE
UP TO 12 METERS TOGETHER

0-10V DIMMABLE


5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
	Black	VT-7-60-B	379 | 4000K DAY WHITE	UP 20w DOWN 40w	UP-2000 DOWN-4000	9
	Silver	VT-7-60-S	378 | 4000K DAY WHITE	UP 20w DOWN 40w	UP-2000 DOWN-4000	9
	White	VT-7-60-W	377 | 4000K DAY WHITE	UP 20w DOWN 40w	UP-2000 DOWN-4000	9

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Slim Linear Hanging Lights



Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Silver and White.

- 30,000-hour Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle
- Aluminium Body
- 0-10V Dimmable
- 1.5 Meter Wire Length

LINKABLE
UP TO 12 METERS TOGETHER

0-10V DIMMABLE

5 YEAR WARRANTY




Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
	Silver	VT-7-43-S	384 | 4000K DAY WHITE	40w	3400	12
	Silver	VT-7-43-S-N	21384 | 4000K DAY WHITE	40W	3590	10
	White	VT-7-43-W	383 | 4000K DAY WHITE	40w	3400	12
	White	VT-7-43-W-N	21383 | 4000K DAY WHITE	40W	3510	10

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Slim Recessed Linear Lights

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.



- 30,000-hour Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors
- Aluminium Body
- 120° Beam Angle

LINKABLE
UP TO 12 METERS TOGETHER

5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
	Silver	VT-7-41-S	380 | 4000K DAY WHITE 603 | 6000K WHITE	40w	3200	9
	Silver	VT-7-41-S-N	21380 | 4000K DAY WHITE	40W	3800	9
	White	VT-7-41-W	381 | 4000K DAY WHITE 604 | 6000K WHITE	40w	3200	9
	White	VT-7-41-W-N	21381 | 4000K DAY WHITE	40W	3620	9

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Slim Linear Connector Lights

- Smart connectors designed for V-TACs range of recessed linear lights
- Robust Aluminium body
- Fitted with high efficiency Samsung LEDss that offer up to 80% in energy savings
- Allows flexible linking with linear lights


5 YEAR WARRANTY

Product	Model	SKU	Watts	Lumen	Box Qty
	VT-7-41-L	SILVER: 386 | 4000K DAY WHITE WHITE: 385 | 4000K DAY WHITE	8w	800	8
	VT-7-41-LN	SILVER: 388 | 4000K DAY WHITE WHITE: 387 | 4000K DAY WHITE	10w	1000	8
	VT-7-41-LW	SILVER: 390 | 4000K DAY WHITE WHITE: 389 | 4000K DAY WHITE	12w	1000	8
	VT-7-41-T	SILVER: 392 | 4000K DAY WHITE WHITE: 391 | 4000K DAY WHITE	14w	1200	4
	VT-7-41-X	SILVER: 394 | 4000K DAY WHITE WHITE: 393 | 4000K DAY WHITE	16w	1600	4

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Recessed Linear Lights

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.



- 30,000-hour Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors
- Aluminium Body
- 120° Beam Angle

LINKABLE
UP TO 12 METERS TOGETHER

5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
	White	VT-7-42-W	382 | 4000K DAY WHITE	40w	4000	9

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Recessed Linear Connector Lights

- Smart connectors designed for V-TACs range of recessed linear lights
- Robust Aluminium body
- Fitted with high efficiency Samsung LEDss that offer up to 80% in energy savings
- Allows flexible linking with linear lights


5 YEAR WARRANTY

Product	Model	SKU	Watts	Lumen	Box Qty
	VT-7-42-L	WHITE: 395 | 4000K DAY WHITE	10w	1000	8
	VT-7-42-LN	WHITE: 396 | 4000K DAY WHITE	10w	1000	8
	VT-7-42-LW	WHITE: 397 | 4000K DAY WHITE	12w	1000	8
	VT-7-42-T	WHITE: 398 | 4000K DAY WHITE	14w	1200	4
	VT-7-42-X	WHITE: 399 | 4000K DAY WHITE	16w	1600	4

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS | Linear Surfaced Lights

Discover V-TAC's reliable 40w linear lights with a staggering lifespan of 30,000-hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Silver and White.



- 30,000-hour Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle
- Aluminium Body
- 0-10V Dimmable
- 1.5 Meter Wire Length

LINKABLE
UP TO 12 METERS TOGETHER

0-10V DIMMABLE

5 YEAR WARRANTY




Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
	color	VT-7-46	20462 | 3000K WARM WHITE 20463 | 4000K DAY WHITE 20464 | 6400K WHITE	40W	3400	12

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR TRUNKING LIGHT | Master Trunking

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability in any space. Perfect suspended lighting for supermarkets, warehouses, service centers, and gymnasiums. No warm-up time, instant start-up. The sustained color temperature throughout long periods of usage.






5 YEAR WARRANTY

DIMMABLE LIGHT CONTROL

160 lm/W




Beam Angle	Light Distribution (IES)	Model	SKU	Watts	Lumen	Box Qty
WIDE 90°		VT-4551D	1360 | 4000K DAY WHITE	50w	8000	2
FLAT 120°		VT-4551D-120	1361 | 4000K DAY WHITE	50w	8000	2
DOUBLE ASYMMETRIC		VT-4551D-DL	1362 | 4000K DAY WHITE	50w	8000	2

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED LINEAR TRUNKING LIGHT | Follow Trunking

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability in any space. Perfect suspended lighting for supermarkets, warehouses, service centers, and gymnasiums. No warm-up time, instant start-up. The sustained color temperature throughout long periods of usage.






5 YEAR WARRANTY

DIMMABLE LIGHT CONTROL

160 lm/W



Beam Angle	Light Distribution (IES)	Model	SKU	Watts	Lumen	Box Qty
WIDE 90°		VT-4550D	1363 | 4000K DAY WHITE	50w	8000	2
FLAT 120°		VT-4550D-120	1364 | 4000K DAY WHITE	50w	8000	2
DOUBLE ASYMMETRIC		VT-4550D-DL	1365 | 4000K DAY WHITE	50w	8000	2

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

Linear Track Module



SKU	Box Qty
1382	5

End Cap



SKU	Box Qty
1366	200

Suspended Cord



SKU	Box Qty
1367	100

8 Wire-Feed In Male Connector



SKU	Box Qty
1368	200

L Node Connector



SKU	Box Qty
1383	8

T Node Connector



SKU	Box Qty
1384	2

X Node Connector



SKU	Box Qty
1385	2

S Line-Follow Trunking Rail



SKU	Box Qty
1451	10

S Line-PC Blank Cover



SKU	Box Qty
1452	35

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz

V-TAC®

INNOVATIVE LED LIGHTING

SAMSUNG LED

Illuminated



LED TRACKLIGHTS

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premier choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provides vivid colors, highly enhancing any product's appeal to consumers. Single and 4-linear track lights are included in this new generation of track lights from V-TAC.

Key Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

Application

Ideal for lighting applications in residential, commercial, and hospitality locations.

5 YEAR WARRANTY



V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated


LED TRACKLIGHTS | Linear Tracklights-Black Body



REAL COLOR SERIES CRI >90

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000-hour Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminium Body
- UGR<19

FLICKER FREE UGR<19 5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
		VT-416-B	20000 | 2700K WARM WHITE 20001 | 4000K DAY WHITE	12W	960	40
		VT-431-B	20006 | 2700K WARM WHITE 20007 | 4000K DAY WHITE	25W	2000	20

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED TRACKLIGHTS | Linear Tracklights-White Body

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000-hour Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminium Body
- UGR<19

FLICKER FREE | UGR<19 | 5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
		VT-416-W	20003 | 2700K WARM WHITE 20004 | 4000K DAY WHITE	12W	960	40
		VT-431-W	20009 | 2700K WARM WHITE 20010 | 4000K DAY WHITE	25W	2000	20

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




LED TRACKLIGHTS | 4 Line Tracklights-Black Body

A complete range of durable 7w to 20w 4-line LED track lights with Aluminium body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.

- COB LED Type
- 30,000-hour Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body

5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
		VT-407-B	353 | 3000K WARM WHITE 354 | 4000K DAY WHITE 355 | 5000K WHITE	7w	420	40
		VT-415-B	359 | 3000K WARM WHITE 360 | 4000K DAY WHITE 361 | 5000K WHITE	15w	1050	40
		VT-420-B	365 | 3000K WARM WHITE 366 | 4000K DAY WHITE 367 | 5000K WHITE	20w	1400	40

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED TRACKLIGHTS | 4 Line Tracklights-White Body

A complete range of durable 7w to 20w 4-line LED track lights with Aluminium body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.

- COB LED Type
- 30,000-hour Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body

5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
		VT-407-W	350 | 3000K WARM WHITE 351 | 4000K DAY WHITE 352 | 5000K WHITE	7w	490	40
		VT-415-W	356 | 3000K WARM WHITE 357 | 4000K DAY WHITE 358 | 5000K WHITE	15w	1200	40
		VT-420-W	362 | 3000K WARM WHITE 363 | 4000K DAY WHITE 364 | 5000K WHITE	20w	1600	40

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED TRACKLIGHTS | 4 Line Tracklights



REAL COLOR SERIES CRI >90

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.

- COB LED Type
- 30,000-hour Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body

5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
		VT-418	939 | 3000K WARM WHITE 940 | 4000K DAY WHITE	18w	1260	20
		VT-430	941 | 3000K WARM WHITE 942 | 4000K DAY WHITE	30w	2100	20

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED TRACKLIGHTS | 4 Line Shutter Tracklights

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.

- COB LED Type
- 30,000-hour Lifespan
- 24°-60° Adjustable
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body

5 YEAR WARRANTY



Product	Unit Color	Model	SKU	Watts	Lumen	Box Qty
		VT-433-B	371 | 3000K WARM WHITE 372 | 4000K DAY WHITE 373 | 5000K WHITE	33w	2640	8
		VT-433-W	368 | 3000K WARM WHITE 369 | 4000K DAY WHITE 370 | 5000K WHITE	33w	2640	8

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED MAGNETIC TRACKLIGHTS

Magnetic light is a kind of track light that is designed by using magnets' fast adsorption characteristic. It consists of two parts: track magnet and light. The track has four ways: surface mounted, recessed, borderless embedded installation, suspension. The light has anti-glare line light, anti-glare high power light, soft light lamp, suspension light, and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, the surface combination can meet the needs of various lighting effects. Its convenient installation, fashionable style, and can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas, and clubs.

*Suitable for 10–12 hours daily, usage of the product for 24 hours a day would void warranty

MAGNETIC LINEAR SPOTLIGHT

- SMD LED Type
- DC:24V
- CRI: >90
- 30° Beam Angle
- 30,000-hour Lifespan
- Aluminium Body


3 YEAR WARRANTY

UGR<19

REAL COLOR SERIES CRI >90



Model	SKU	Watts	Lumen	Box Qty
VT-4141	7958 | 3000K WARM WHITE 7959 | 4000K DAY WHITE	1w	35	40



MAGNETIC LINEAR SPOTLIGHT

- SMD LED Type
- DC:24V
- CRI: >90
- 30° Beam Angle
- 30,000-hour Lifespan
- Aluminium Body


3 YEAR WARRANTY

UGR<19

REAL COLOR SERIES CRI >90



Model	SKU	Watts	Lumen	Box Qty
VT-4143	7960 | 3000K WARM WHITE 7961 | 4000K DAY WHITE	3w	240	36



*Suitable for 10–12 hours daily, usage of the product for 24 hours a day would void warranty

www.rozsvitimesvet.cz

MAGNETIC LINEAR LIGHT

- SMD LED Type
- DC:24V
- CRI: >90
- 30° Beam Angle
- 30,000-hour Lifespan
- Aluminium Body


3 YEAR WARRANTY

UGR<19

REAL COLOR SERIES CRI >90



Model	SKU	Watts	Lumen	Box Qty
VT-4210	7962 | 3000K WARM WHITE 7963 | 4000K DAY WHITE	10w	700	16



MAGNETIC LINEAR LIGHT

- SMD LED Type
- DC:24V
- CRI: >90
- 30° Beam Angle
- 30,000-hour Lifespan
- Aluminium Body


3 YEAR WARRANTY

UGR<19

REAL COLOR SERIES CRI >90



Model	SKU	Watts	Lumen	Box Qty
VT-4220	7964 | 3000K WARM WHITE 7965 | 4000K DAY WHITE	20w	1200	8



*Suitable for 10–12 hours daily, usage of the product for 24 hours a day would void warranty

MAGNETIC SPOTLIGHT

- COB LED Type
- DC:24V
- CRI: >90
- 36° Beam Angle
- 30,000-hour Lifespan
- Aluminium Body


3 YEAR WARRANTY

UGR<19

REAL COLOR SERIES CRI >90



Model	SKU	Watts	Lumen	Box Qty
VT-4215	7966 | 3000K WARM WHITE 7967 | 4000K DAY WHITE	15w	900	16



MAGNETIC PENDANT LIGHT

- COB LED Type
- DC:24V
- CRI: >90
- 36° Beam Angle
- 30,000-hour Lifespan
- Aluminium Body


3 YEAR WARRANTY

UGR<19

REAL COLOR SERIES CRI >90



Model	SKU	Watts	Lumen	Box Qty
VT-4315	7968 | 3000K WARM WHITE 7969 | 4000K DAY WHITE	15w	1000	12



*Suitable for 10–12 hours daily, usage of the product for 24 hours a day would void warranty

www.rozsvitimesvet.cz

MAGNETIC LINEAR LIGHT


- SMD LED Type
- DC:24V
- CRI: >90
- 100° Beam Angle
- 30,000-hour Lifespan
- Aluminium Body

3 YEAR WARRANTY

REAL COLOR SERIES CRI >90



Model	SKU	Watts	Lumen	Box Qty
VT-4121	7954 | 3000K WARM WHITE 7955 | 4000K DAY WHITE	20w	1600	12



MAGNETIC LINEAR LIGHT


- SMD LED Type
- DC:24V
- CRI: >90
- 100° Beam Angle
- 30,000-hour Lifespan
- Aluminium Body

3 YEAR WARRANTY

REAL COLOR SERIES CRI >90



Model	SKU	Watts	Lumen	Box Qty
VT-4131	7956 | 3000K WARM WHITE 7957 | 4000K DAY WHITE	30w	2700	12



*Suitable for 10–12 hours daily, usage of the product for 24 hours a day would void warranty



Track Rail-0.5M

SKU	Box Qty
7950	9



Track Rail-1M

SKU	Box Qty
7951	9



Track Rail-1.5M

SKU	Box Qty
7953	6



Track Rail-2M

SKU	Box Qty
7952	6



Recessed Kit for Magnetic Tracklight

SKU	Box Qty
7970	75



Track Connector

SKU	Box Qty
7971	180



90'D Corner Connector

SKU	Box Qty
7972	27



Outer Corner Connector

SKU	Box Qty
7973	27



Cross Connector

SKU	Box Qty
7974	36



T Type Connector

SKU	Box Qty
7975	36



Pendant Track Rail Accessory

SKU	Box Qty
7977	150



Track Cover

SKU	Box Qty
7978	200



Live End Connector

SKU	Box Qty
7979	200



Transformer

SKU	Box Qty
11144	30



Transformer

SKU	Box Qty
11145	30

*Suitable for 10–12 hours daily, usage of the product for 24 hours a day would void warranty

www.rozsvitimesvet.cz

V-TAC®

INNOVATIVE LED LIGHTING

SAMSUNG LED

Illuminated



LED DOME & DOWN LIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.
Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120'D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

Key Features

- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator

Application

Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.

5 YEAR WARRANTY

IP65 RATING



LED DOME LIGHTS | CCT Bulkhead

Our resilient IP65 CCT Bulkhead make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather and dust.

POLYCARBONATE PC

5 YEAR WARRANTY

IP65 RATING





IK08 RATING

- SMD LED Chip
- AC:200-240V,50/60Hz
- 30,000-hour lifespan
- 120° Beam Angle
- PC Body
- CRI >80
- PF >0.5
- IP65 Rating

ON 1 2

EASY TOGGLE SWITCH FOR COLOR CHANGING
3000K - 4000K - 6400K



Product	Model	SKU	Watts	Lumen	Dimension	Box Qty
	VT-14	20088 | 3IN1	14w	1400		10 pcs
	VT-14-CH	20092 | 3IN1	14w	1400		10 pcs
	VT-24	20093 | 3IN1	20w	1850		10 pcs
	VT-24-CH	20097 | 3IN1	20w	1850		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | CCT Bulkhead with Emergency Battery

These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.

- Battery Charging Current:60mA
- Battery Discharging Current:200mA
- Battery Type:Ni-CD, 9.6V 1.0Ah
- Emergency Operation Time:>3 Hours
- Emergency Standby Watts:>1.5W
- Charging Indication:Green LED
- Including Test Button, Battery Protection circuit & Inhibiting Mode
- AC:200-240V,50/60Hz
- 30,000-hour lifespan
- 120° Beam Angle
- PC Body
- IP65 Rating

3 YEAR WARRANTY

IP65 RATING

Emergency Battery Backup

IK08 RATING

EASY TOGGLE SWITCH FOR COLOR CHANGING
3000K - 4000K - 6400K

POLYCARBONATE PC



Model	SKU	Watts	Lumen	Dimension	Color	Box Qty
VT-14SE	20090 | 3IN1	14w	1400	75 mm, Ø 315 mm	White	10 pcs
VT-24SE	20095 | 3IN1	20w	1850	78 mm, Ø 380 mm	White	10 pcs

Changeable Eyelid Half Cover For 14W



SKU
11225

Changeable Chrome Rim For 14W



SKU
11230

Changeable Chrome Rim For 20W



SKU
11231

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | CCT Bulkhead with Sensor

This range of CCT Bulkhead are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these Dome Lights exhibit exceptional performance in outdoor security lighting.

- Detection Angle:Ceiling/Wall Mounted-360°/120°
- Detection Distance:3-6M, 6-10M Optional
- Detection Range:Max D10M*6M
- Hold Time:5s,90s,5min,10min customized
- Daylight Sensor:Day,2lux,10lux,50lux optional
- Dimmable Function:Yes,0%,10%,20%,30% optional
- Standby period:0s,10s,10min optional
- Manual Override:Available by dial switch
- Detection Motion Speed:0.5-3m/s
- AC:200-240V,50/60Hz
- 30,000-hour lifespan
- 120° Beam Angle
- PC Body
- IP65 Rating

Microwave Sensor

IP65 RATING

5 YEAR WARRANTY

IK08 RATING

EASY TOGGLE SWITCH FOR COLOR CHANGING
3000K - 4000K - 6400K

POLYCARBONATE PC



Model	SKU	Watts	Lumen	Dimension	Color	Box Qty
VT-14SS	20089 | 3IN1	14w	1400	75 mm, Ø 315 mm	White	10 pcs
VT-24SS	20094 | 3IN1	20w	1850	78 mm, Ø 380 mm	White	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | CCT Bulkhead with Emergency Battery+Sensor

Our 3-in-1 CCT Bulkhead range is equipped with the complete package for a remarkable and reliable indoor/ outdoor emergency and security lighting. With reliable Ni-Cd emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- Emergency Operation Time:>3 Hours
- Emergency Standby Watts:>1.5W
- Battery Charging Current:60mA
- Battery Discharging Current:200mA
- Battery Type:Ni-CD, 9.6V 1.0Ah
- Charging Indication:Green LED
- Including,Test Button, Battery Protection circuit & Inhibiting Mode
- Detection Angle:Ceiling/Wall Mounted-360°/120°
- Detection Distance:3-6M, 6-10M Optional
- IP65 Rating
- Detection Range:Max D10M*6M
- Hold Time:5s,90s,5min,10min customized
- Daylight Sensor:Day,2lux,10lux,50lux optional
- Dimmable Function:Yes,0%,10%,20%,30% optional
- Stand-by period:0s,10s,10min optional
- Manual Override:Available by dial switch
- Detection Motion Speed:0.5-3m/s
- AC:200-240V,50/60Hz
- 30,000-hour lifespan
- 120° Beam Angle
- PC Body

3in1 Bulkhead | Emergency Battery Backup | Microwave Sensor

IP65 RATING

3 YEAR WARRANTY

IK08 RATING

EASY TOGGLE SWITCH FOR COLOR CHANGING
3000K - 4000K - 6400K

POLYCARBONATE PC



Model	SKU	Watts	Lumen	Dimension	Color	Box Qty
VT-14SES	20091 | 3IN1	14w	1400	75 mm, Ø 315 mm	White	10 pcs
VT-24SES	20096 | 3IN1	20w	1850	78 mm, Ø 380 mm	White	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | 2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- SMD LED Chip
- AC:200-240V,50/60Hz
- 30,000-hour lifespan
- 120° Beam Angle
- PC Body
- CRI >80
- PF >0.5
- IP65 Rating



POLYCARBONATE PC

IP65 RATING

5 YEAR WARRANTY

IK08 RATING



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-08	815 | 4000K DAY WHITE	8w	720		10 pcs
VT-15	801 | 4000K DAY WHITE 802 | 6400K WHITE	15w	1400		10 pcs

Chrome Bezel For 15W-17W



SKU
11241

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | 2D Bulkhead with Emergency Battery

These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.

3 YEAR WARRANTY



IP65 RATING

IK08 RATING

POLYCARBONATE PC

- AC:200-240V,50/60Hz
- >1.2 Watts Emergency Standby Watts
- 60mA Battery Charging Current
- 200mA Battery Discharging Current
- Ni-CD AA, 7.2V 1.0Ah Battery Type
- Including battery protection circuit & inhibiting mode
- Green LED Charging indicate
- >3 hrs Emergency Operation time
- 30,000-hour lifespan
- SMD LED Type
- PC Body
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-11	816 | 4000K DAY WHITE	10w	720		10 pcs
VT-17	806 | 4000K DAY WHITE	17w	1400		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | 2D Bulkhead with Sensor

5 YEAR WARRANTY

IP65 RATING




IK08 RATING

POLYCARBONATE PC

This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- AC:200-240V,50/60Hz
- 120° / 360° Detection Angle
- 3m, 5m, 8m, 10m (optional) Detection Distance
- Max D10Mx4M Detection Range
- 10S, 1min, 5min, 10min customized Hold Time
- Day, 10Lux, 30Lux, 50Lux optional Day light Sensor
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
- 0.5~3m/s Detection Motion Speed
- >3 hrs Emergency Operation time
- 30,000-hour lifespan
- SMD LED Type
- PC Body
- IP65 Rating



Product	Model	SKU	Watts	Lumen	Dimension	Box Qty
	VT-09	818 | 4000K DAY WHITE	8w	720		10 pcs
	VT-16	803 | 3000K WARM WHITE 804 | 4000K DAY WHITE 805 | 6400K WHITE	15w	1400		10 pcs
	VT-22	819 | 4000K DAY WHITE	15w	1450		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | 2D Bulkhead with Emergency Battery+Sensor

Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/ outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

3 YEAR WARRANTY



IP65 RATING

IK08 RATING

POLYCARBONATE PC

- AC:200-240V,50/60Hz
- >1.2 Watts Emergency Standby Watts
- 60mA Battery Charging Current
- 200mA Battery Discharging Current
- Ni-CD AA, 7.2V 1.0Ah Battery Type
- Green LED Charging indicate
- Including battery protection circuit & inhibiting mode
- 120° / 360° Detection Angle
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
- 3m, 5m, 8m, 10m (optional) Detection Distance
- 0.5~3m/s Detection Motion Speed
- >3 hrs Emergency Operation time
- 30,000-hour lifespan
- SMD LED Type
- PC Body
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-12	817 | 4000K DAY WHITE	10w	720		10 pcs
VT-19	812 | 4000K DAY WHITE	17w	1400		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | Slim Dome Light

A new addition to our Dome Light Lights series, V-TAC's new Slim IP65 LED Dome Lights are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.




- AC:220-240V,50/60Hz
- 110° Beam Angle
- 30,000-hour lifespan
- IP65 Rating
- PC Body
- CRI >80
- PF >0.5

IP65 RATING

5 YEAR WARRANTY

POLYCARBONATE PC

Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-12S	935 | 3000K WARM WHITE 820 | 4000K DAY WHITE 936 | 6400K DAY WHITE	12w	1440		10 pcs
VT-12S-N	21820 | 4000K DAY WHITE	12w	1480		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | Slim Dome Light with Emergency Backup

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- PC Body
- 30,000-hour lifespan
- CRI >80
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current – 60mA
- Battery Discharge Current – 200mA
- > 3 Hours emergency operation time
- IP65 Rating

3 YEAR WARRANTY

IP65 RATING

Emergency Battery Backup

POLYCARBONATE PC

Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-12SE	822 | 4000K DAY WHITE	14w	1440		10 pcs

LED DOME LIGHTS | Slim Dome Light with Sensor


- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed – 0.5-3m/s
- Hold Time – 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable – Yes, 0, 10%,20% optional
- Manual Override by dial switch
- Stand by period – 0s, 10s, 10m optional
- AC:220-240V,50/60Hz
- 110° Beam Angle
- 30,000-hour lifespan
- CRI >80
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range

5 YEAR WARRANTY

IP54 RATING

Microwave Sensor

POLYCARBONATE PC

Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-12SS	937 | 3000K WARM WHITE 821 | 4000K DAY WHITE 938 | 6400K DAY WHITE	12w	1440		10 pcs

LED DOME LIGHTS | Slim Dome Light with Emergency+Sensor

- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day: 7-20LUX
- Dimmable – Yes, 0, 10%,20% optional
- Manual Override
- Standby – 0s, 10s, 10m optional
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current – 60mA
- Battery Discharge Current – 200mA
- AC:220-240V,50/60Hz
- 110° Beam Angle
- 30,000-hour lifespan

3 YEAR WARRANTY

IP54 RATING

3in1 Bulkhead / Emergency Battery Backup / Microwave Sensor

POLYCARBONATE PC

Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-12SES	823 | 4000K DAY WHITE	14w	1440		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | Bulkhead CCT Changeable

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust. This new model has an easy switch for colour temperature tuning to achieve any lighting mood in any room. No need to worry about which colour temperature for any room when you can have it all – readily available with just a flick of a switch.

5 YEAR WARRANTY

IP65 RATING

- AC:200-240V,50/60Hz
- CRI >80
- 30,000-hour lifespan
- 120° Beam Angle
- PC Body
- Built in Switch for CCT Changing

EASY TOGGLE SWITCH




3000K 4000K 6400K

EASY ACCESS FOR COLOR CHANGING WITH BUTTON

POLYCARBONATE PC



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-2-17	20016 | 3 IN 1	15w	1400		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS | Dome Light – Sensor

- Input: AC:110–240V, 50/60Hz
- 120° Beam Angle
- 20,000-hour lifespan
- SMD LED Chip
- CRI >80
- 3 year warranty
- Detection Distance – 6m Max
- Detection Range – 360°
- Time Delay – Min-10sec±3sex, Max-3min±30sec
- Detection motion Speed – 0.6–1.5m/s
- Ambient Light – <3–2000lux(adjustable)
- Instant start
- IP20 Rating



MOTION PIR SENSOR

POLYCARBONATE PC

IK08 RATING

3 YEAR WARRANTY



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-13	807 | 3000K WARM WHITE 808 | 4000K DAY WHITE 809 | 6400K WHITE	12w	800		10 pcs
VT-13-N	21808 | 4000K DAY WHITE 21809 | 6400K WHITE	12w	800		10 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHT | Ceiling Lights

- AC:220-240V,50/60Hz
- IP Rating:IP44
- CRI:>80
- Warranty:3 Years
- 110° Beam Angle
- Body Type: PC







IK08 RATING

3 YEAR WARRANTY

POLYCARBONATE PC

V-TAC® GENERATION

Model	Shape	SKU	Watts	Lumen	Dimension	Box Qty
VT-8033RD	Round	13889 | 3000K WARM WHITE 55669 | 4000K DAY WHITE 13899 | 6500K WHITE	15w	1500		20 pcs
VT-8033RD-N	Round	2113889 | 3000K WARM WHITE 2155669 | 4000K DAY WHITE 2113899 | 6500K WHITE	15w	1850		20 pcs
VT-8066RD	Round	13929 | 3000K WARM WHITE 13939 | 4000K DAY WHITE 13949 | 6500K WHITE	25w	2500		10 pcs
VT-8066RD-N	Round	2113949 | 6500K WHITE	25w	2850		10 pcs
VT-8033SQ	Square	13909 | 3000K WARM WHITE 55679 | 4000K DAY WHITE 13919 | 6500K WHITE	15w	1500		20 pcs
VT-8033SQ-N	Square	2113909 | 3000K WARM WHITE	15w	1700		20 pcs
VT-8066SQ	Square	13959 | 3000K WARM WHITE 13969 | 4000K DAY WHITE 13979 | 6500K WHITE	25w	2500		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




LED DOWNLIGHT | Reflector Downlight

Our new reflector downlights feature a quick connector for easy wiring and installation. The beam angle direction can be also be easily adjusted by tilting the downlight itself.

- Adjustable Angle
- AC:85-265V,50/60Hz
- Body type Aluminium
- 120° Beam Angle
- LED (COB chip) provided by Samsung
- CRI >80

5 YEAR WARRANTY



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-2-10	839 | 3000K WARM WHITE 840 | 4000K DAY WHITE 841 | 6400K WHITE	10w	900		40 pcs
VT-2-20	842 | 3000K WARM WHITE 843 | 4000K DAY WHITE 844 | 6400K WHITE	20w	1600		20 pcs
VT-2-30	845 | 3000K WARM WHITE 846 | 4000K DAY WHITE 832 | 6400K WHITE	30w	2400		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz


V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED Illuminated

LED DOWNLIGHT | Reflector Downlights

Introducing V-TAC's LED reflector downlights — available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- 30,000-hour lifespan
- Input Voltage – AC:220-240V,50Hz
- Body Material – Aluminium
- Includes Quick Connector for easy wiring



12° NARROW BA | 38° WIDE BA

5 YEAR WARRANTY


FLICKER FREE

UGR<19

REAL COLOR SERIES CRI >90




Model	Beam Angle	SKU	Watts	Lumen	Box Qty
VT-2-04	12°	972 | 2700K WARM WHITE 971 | 4000K DAY WHITE 970 | 5700K WHITE	4w	320	100 pcs
VT-2-04-1	38°	987 | 2700K WARM WHITE 986 | 4000K DAY WHITE 985 | 5700K WHITE	4w	320	100 pcs



Cutting size 45x45


*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






Model	Beam Angle	SKU	Watts	Lumen	Box Qty
VT-2-12	12°	975 | 2700K WARM WHITE 974 | 4000K DAY WHITE 973 | 5700K WHITE	12w	960	50 pcs
VT-2-12-1	38°	990 | 2700K WARM WHITE 989 | 4000K DAY WHITE 988 | 5700K WHITE	12w	960	50 pcs






Model	Beam Angle	SKU	Watts	Lumen	Box Qty
VT-2-16	12°	978 | 2700K WARM WHITE 977 | 4000K DAY WHITE 976 | 5700K WHITE	16w	1280	50 pcs
VT-2-16-1	38°	993 | 2700K WARM WHITE 992 | 4000K DAY WHITE 991 | 5700K WHITE	16w	1280	50 pcs





Model	Beam Angle	SKU	Watts	Lumen	Box Qty
VT-2-21	12°	981 | 2700K WARM WHITE 980 | 4000K DAY WHITE 979 | 5700K WHITE	20w	1600	20 pcs
VT-2-21-1	38°	996 | 2700K WARM WHITE 995 | 4000K DAY WHITE 994 | 5700K WHITE	20w	1600	20 pcs





Model	Beam Angle	SKU	Watts	Lumen	Box Qty
VT-2-36	12°	984 | 2700K WARM WHITE 983 | 4000K DAY WHITE 982 | 5700K WHITE	36w	2880	20 pcs
VT-2-36-1	38°	999 | 2700K WARM WHITE 998 | 4000K DAY WHITE 997 | 5700K WHITE	36w	2880	20 pcs

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.







LED DOWNLIGHT | Reflector Downlight – Black Housing

Introducing V-TAC's LED reflector downlights with black housing— available in 10w, 20w & 30w & CRI rating of >80, to achieve any residential, retail, or hospitality lighting need.

- AC:85-265V,50/60Hz
- CRI >80
- 30,000-hour lifespan
- 120° Beam Angle
- 85% Energy Saving
- Aluminium Material
- 120° Beam Angle
- Aluminium Material
- 85% Energy Saving

5 YEAR WARRANTY



Model	Shape	SKU	Watts	Lumen	Dimension	Box Qty
VT-2-13	Round	20051 | 3000K WARM WHITE 20052 | 4000K DAY WHITE 20053 | 6400K WHITE	10w	800		40 pcs
VT-2-13-N	Round	2120051 | 3000K WARM WHITE 2120052 | 4000K DAY WHITE	10w	1200		40 pcs
VT-2-23	Round	20054 | 3000K WARM WHITE 20055 | 4000K DAY WHITE 20056 | 6400K WHITE	20w	1600		20 pcs
VT-2-23-N	Round	2120054 | 3000K WARM WHITE 2120055 | 4000K DAY WHITE 2120056 | 6400K WHITE	20w	2000		20 pcs
VT-2-33	Round	20057 | 3000K WARM WHITE 20058 | 4000K DAY WHITE 20059 | 6400K WHITE	30w	2400		10 pcs
VT-2-33-N	Round	2120058 | 4000K DAY WHITE	30w	3250		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOWNLIGHT | Adjustable Downlight



Our new reflector downlights feature adjustable beam angle direction. CRI rating of >90, to achieve any residential, retail, or hospitality lighting need.

- Adjustable Angle
- AC:220-240V,50/60Hz
- 24° Beam Angle
- IP20
- 30,000-hour lifespan
- IP20
- CRI>90
- 30,000-hour lifespan

5 YEAR WARRANTY

REAL COLOR SERIES CRI >90



Product	Model	SKU	Watts	Lumen	Dimension	Box Qty
	VT-419	20049 | 4000K DAY WHITE	18w	1450		20 pcs
	VT-436	20050 | 4000K DAY WHITE	2×18w	2900		10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz

LED DOWNLIGHTS | Fire Rated Downlight

Our new Fire-Rated Spotlight Fittings are available in Chrome, Nickel, and White finish. With 3000K, 4000K and 6400K options, built with Aluminium alloy and iron. Efficient replacement for traditional downlight fittings.

- CRI >80
- 30,000-hour lifespan
- 70° Beam Angle
- Iron+Aluminium Alloy
- Integrated COB LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation
- Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

5 YEAR WARRANTY | QUICK CONNECTOR | IP65 RATING | DIMMABLE LIGHT CONTROL | 30-60-90 MIN Fire Rated



Product	Model	SKU	Watts	Lumen	Dimension	Box Qty
 Chrome	VT-885-C	8175 | 3000K WARM WHITE 8176 | 4000K DAY WHITE 8180 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	60 pcs
 Nickel	VT-885-N	8173 | 3000K WARM WHITE 8174 | 4000K DAY WHITE 8179 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	60 pcs
 White	VT-885-W	8177 | 3000K WARM WHITE 8178 | 4000K DAY WHITE 8181 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	60 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOWNLIGHTS | Fire Rated Downlight-3PC Pack

Our new 3PC Pack Fire-Rated Spotlight Fittings are available in Chrome, Nickel, and White finish. With 3000K, 4000K and 6400K options, built with Aluminium alloy and iron. Efficient replacement for traditional downlight fittings.

- CRI >80
- 30,000-hour lifespan
- 70° Beam Angle
- Iron+Aluminium Alloy
- Integrated COB LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation
- Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

5 YEAR WARRANTY | QUICK CONNECTOR | IP65 RATING | DIMMABLE LIGHT CONTROL | 30-60-90 MIN Fire Rated



Product	Model	SKU	Watts	Lumen	Dimension	Box Qty
 Chrome	VT-885-C	8874 | 3000K WARM WHITE 8875 | 4000K DAY WHITE 8876 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	20 pcs
 Nickel	VT-885-N	8197 | 3000K WARM WHITE 8198 | 4000K DAY WHITE 8199 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	20 pcs
 White	VT-885-W	8182 | 3000K WARM WHITE 8183 | 4000K DAY WHITE 8184 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	20 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOWNLIGHTS | Fire Rated Downlight-10PC Pack

Our new 10PC Pack Fire-Rated Spotlight Fittings are available in Chrome, Nickel, and White finish. With 3000K, 4000K and 6400K options, built with Aluminium alloy and iron. Efficient replacement for traditional downlight fittings.

- CRI >80
- 30,000-hour lifespan
- 70° Beam Angle
- Iron+Aluminium Alloy
- Integrated COB LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation
- Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

5 YEAR WARRANTY | QUICK CONNECTOR | IP65 RATING | DIMMABLE LIGHT CONTROL | 30-60-90 MIN Fire Rated



Product	Model	SKU	Watts	Lumen	Dimension	Box Qty
 Chrome	VT-885-C	8913 | 3000K WARM WHITE 8914 | 4000K DAY WHITE 8915 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	6 pcs
 Satin Nickle	VT-885-N	8890 | 3000K WARM WHITE 8891 | 4000K DAY WHITE 8912 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	6 pcs
 White	VT-885-W	8887 | 3000K WARM WHITE 8888 | 4000K DAY WHITE 8889 | 6400K WHITE	5w	500	 Ø81.5mm Cutting Size Ø57mm	6 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOWNLIGHTS | Fire Rated Downlight

An innovative addition to our Fire-Rated Downlight series, this new model has an accessible switch for colour temperature tuning so users can easily achieve any lighting mood in any room.

- IP65 Rating.
- Integrated SMD LED (Non-replaceable).
- Dimmable
- AC:200-240V,50Hz
- Body Type: Aluminium
- 60° Beam Angle
- CRI >80
- LED provided by samsung
- 30,000-hour lifespan
- Cutting size:75mm

3 YEAR WARRANTY

QUICK CONNECTOR

DIMMABLE LIGHT CONTROL

EASY TOGGLE SWITCH

3000K 4000K 6400K

EASY ACCESS FOR COLOR CHANGING WITH BUTTON


Included Bezels



Chrome | Satin Nickle | White

30-60-90 MIN
Fire Rated



Model	SKU	Watts	Lumen	Dimension	Box Qty
VT-18D	881 | 3IN1	8w	720	 Cutting Size Ø75mm	30 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED CABINET LIGHT

LED Cabinet Light

2 YEAR WARRANTY


MOTION PIR SENSOR

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries (3xAAA Battery not included), designed for a neat installation.





Model	SKU	Watts	Lumen	Box Qty
VT-80	813 | 4000K DAY WHITE	1.5w	80	50 pcs




LED CABINET LIGHT

LED Cabinet Light

5 YEAR WARRANTY


MOTION PIR SENSOR

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries(4xAA Battery not included), designed for a neat installation.





Model	SKU	Watts	Lumen	Box Qty
VT-81	814 | 4000K DAY WHITE	1.5w	135	50 pcs




*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.

LED NIGHT LIGHT | LED Night Light

2 YEAR WARRANTY

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- Voltage/Frequency: 220-240V, 50Hz
- Power: 0.45W
- RA: >80
- Body material: ABS+PC
- Box Qty: 50pcs





Model	SKU	Watts	Box Qty
VT-82RD	824 | 3000K WARM WHITE 825 | 4000K DAY WHITE	0.45w	pcs



Model	SKU	Watts	Box Qty
VT-82SQ	826 | 3000K WARM WHITE 827 | 4000K DAY WHITE	0.45w	pcs



Model	SKU	Watts	Box Qty
VT-83RD	829 | 4000K DAY WHITE	0.45w	pcs



Model	SKU	Watts	Box Qty
VT-83SQ	830 | 3000K WARM WHITE 831 | 4000K DAY WHITE	0.45w	pcs



Model	SKU	Watts	Box Qty
VT-84RD	505 | 3000K WARM WHITE 506 | 4000K DAY WHITE	0.45w	pcs



Model	SKU	Watts	Box Qty
VT-84SQ	507 | 3000K WARM WHITE 508 | 4000K DAY WHITE	0.45w	pcs



Model	SKU	Watts	Box Qty
VT-86RD	20017 | 4000K DAY WHITE	0.45w	pcs



Model	SKU	Watts	Box Qty
VT-86SQ	20019 | 3000K WARM WHITE 20020 | 4000K DAY WHITE	0.45w	pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BOLLARD LIGHTS


LED Bollard Lights

3 YEAR WARRANTY


IP65 RATING

- AC:220-240V,50/60Hz
- CRI >80
- PF >0.5
- 120° Beam Angle
- 20,000-hour lifespan
- IP65 Protection
- LED Chip Type – SMD
- On/Off Cycle – 15,000





Model	SKU	Watts	Lumen	Box Qty
VT-33-White	20116 | 3000K WARM WHITE 20117 | 4000K DAY WHITE 20118 | 6400K WHITE	10w	900	5 pcs




LED BOLLARD LIGHTS


LED Bollard Lights

- AC:220-240V,50/60Hz
- CRI >80
- PF >0.5
- 120° Beam Angle
- 20,000-hour lifespan
- IP65 Protection
- LED Chip Type – SMD
- On/Off Cycle – 15,000





Model	SKU	Watts	Lumen	Box Qty
VT-33-Black	20113 | 3000K WARM WHITE 20114 | 4000K DAY WHITE 20115 | 6400K WHITE	10w	650	5 pcs
VT-33-Black-N	2120114 | 4000K DAY WHITE	10w	650	5 pcs



IP65 RATING

3 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED WALL LIGHT
Solar Bollard

- Min 3hrs / Max 12hrs Working Time
- 1P65 Rating
- AL+PC Material
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- 50pcs of LED
- 5.5V 3 W Solar Panel



IP65 RATING

SOLAR LIGHTS





Model	SKU	Watts	Lumen	Box Qty
VT-66	785 | 3000K WARM WHITE	2w	280	10 pcs
VT-66-N	21785 | 3000K WARM WHITE	2w	280	10 pcs

3 YEAR WARRANTY


LED WALL LIGHT
Solar Bollard

- Min 3hrs / Max 12hrs Working Time
- 1P65 Rating
- AL+PC Material
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- 50pcs of LED
- 5.5V 3 W Solar Panel



IP65 RATING

SOLAR LIGHTS





Model	SKU	Watts	Lumen	Box Qty
VT-77	784 | 3000K WARM WHITE	2w	220	10 pcs
VT-77-N	21784 | 3000K WARM WHITE	2w	220	10 pcs

3 YEAR WARRANTY

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED WALL LIGHT


LED Wall Light

3 YEAR WARRANTY

POLYCARBONATE PC

IP54 RATING

- AC220-240V,50/60Hz
- CR1: >80
- 15,000 times On/Off
- 20,000 hrs. Life span
- PC Material
- IP54 Rating






Model	SKU	Watts	Lumen	Box Qty
VT-7-06	780 | 3000K WARM WHITE 781 | 4000K DAY WHITE	10w	800	20 pcs



*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

OUTDOOR LIGHTING | Garden Light 2IN1 (Lamp Post + Spike)

- IP65 Rating.
- COB-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >80
- PF>0.5
- 20,000-hour lifespan
- On/Off Cycle >15000



3 YEAR WARRANTY

IP65 RATING



Model	SKU	Watts	Lumen	Box Qty
VT-907	20316 | 3000K WARM WHITE 20317 | 4000K DAY WHITE 20318 | 6400K WHITE	7w	420	20 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



LED EMERGENCY LIGHTS

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated. V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

Key Features

- Thermoplastic PC built
- High quality Ni-Cd batteries made for longevity & low maintenance reliable emergency backup of 3 hours
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on print circuit board
- 12–24-hour recharge after more than 3-hour discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode

Application

Offices, hospitals, corporate buildings, schools, and commercial establishments

5 YEAR WARRANTY



LED EMERGENCY LIGHTS

LED Exit Light – Surface

- IP20
- PC body
- 3 Stickers
- 16 SMD LEDs
- AC:220-240V,50/60Hz
- Wall/Ceiling Installation
- Ni-Cd 3.6V,900mAh Battery
- 12-hour Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3-hour Emergency Operation Time
- 24 Meters Viewing Distance From Both Sides


3 YEAR WARRANTY

12 HOURS CHARGING TIME

POLYCARBONATE PC



Model	SKU	Watts	Lumen	Box Qty
VT-519-S-12	836 - 6000K WHITE	2w	140lm	10



LED EMERGENCY LIGHTS

LED Exit Light-Recessed

- IP20
- PC body
- 3 Stickers
- 16 SMD LEDs
- AC:220-240V,50/60Hz
- Recessed/Ceiling Installation
- Ni-Cd 3.6V,900mAh Battery
- 12-hour Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3-hour Emergency Operation Time
- 24 Meters Viewing Distance From Both Sides


3 YEAR WARRANTY

12 HOURS CHARGING TIME

POLYCARBONATE PC



Model	SKU	Watts	Lumen	Box Qty
VT-522-S-12	835 - 6000K WHITE	2w	140lm	10



*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED EMERGENCY LIGHTS

LED Exit Light – Bulkhead


- IP20
- ABS+PC body
- 20 SMD LEDs
- AC:220-240V,50/60Hz
- Ni-Cd 4.8V, 900mAh Battery
- 12-hour Charging Time
- Green Indicator Light
- Mode Of Operation Maintained/Non Maintained
- >3-hour Emergency Operation Time

3 YEAR WARRANTY

12 HOURS CHARGING TIME



Model	SKU	Watts	Lumen	Box Qty
VT-511-S	899 – 6000K WHITE	3.8w	110lm	10



LED EMERGENCY LIGHTS

LED Exit Light – Bulkhead

- IP65
- PC body
- 3 Stickers
- 30 SMD LEDs
- AC:220-240V,50/60Hz
- Wall Installation
- Ni-Cd 4.8V,900mAh Battery
- 12-hour Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3-hour Emergency Operation Time
- 22 Meters Viewing Distance From Both Sides

3 YEAR WARRANTY


12 HOURS CHARGING TIME

IP65 RATING

POLYCARBONATE PC



Model	SKU	Watts	Lumen	Box Qty
VT-524-S-12	838 – 6000K WHITE	4w	190lm	12



*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



LED STRIP LIGHTS


V-TAC's efficient LED strip lights range is an effective solution in illuminating up tight spaces. These lights can also be used to simply decorate your kitchen, bedroom, patios, and more. Applicable for both accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard colour temperatures.

Application

Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas

LED STRIP LIGHTS

3 YEAR WARRANTY



Model	SKU	Watts	Lumen	Voltage	Roll	CRI	Box Qty
VT-5-120	323 | 3000K WARM WHITE 324 | 4000K DAY WHITE 325 | 6400K WHITE	12w	1200	DC:12V	5 Meter Roll	>80	400 Meter
VT-5-120-N	21324 | 4000K DAY WHITE	12w	1320	DC:12V	5 Meter Roll	>80	400 Meter
VT-10-240	320 | 3000K WARM WHITE 321 | 4000K DAY WHITE 322 | 6400K WHITE	15w	1600	DC:24V	10 Meter Roll	>80	800 Meter
VT-10-240-N	21321 | 4000K DAY WHITE	15w	1650	DC:24V	10 Meter Roll	>80	800 Meter
VT-10-240-1	331 | 3000K WARM WHITE 332 | 4000K DAY WHITE 333 | 6400K WHITE	18w	1800	DC:24V	10 Meter Roll	>95	800 Meter

WATERPROOF LED NEON FLEX

3 YEAR WARRANTY

IP65 RATING



Model	SKU	Watts	Lumen	Voltage	Roll	CRI	Box Qty
VT-55	326 | 3000K WARM WHITE 327 | 4000K DAY WHITE 328 | 6400K WHITE	10w	300	DC:12V	5 Meter Roll	>80	200 Meter

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz

V-TAC®
INNOVATIVE LED LIGHTING

SAMSUNG LED
Illuminated



LED SPOTLIGHTS

Our new range of LED spotlights with Samsung LEDss is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

Key Features

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 10°, 38° and 110°
- Set the right tone: dimmable options available

Application

Ideal for lighting applications in residential, commercial, and hospitality locations.

5 YEAR WARRANTY




LED SPOTLIGHTS

LED Capsules Lights

LED Capsule Lights are usually installed in cabinet lighting, integrated light fittings in the kitchen and more. Efficient replacement for halogen capsule bulbs – small size and wattage but provides ample and sufficient lighting. Available in G4 & G9 bases.


5 YEAR WARRANTY







- G4 Base
- DC:12V
- PF: >0.4
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-201	240 | 3000K WARM WHITE 241 | 4000K DAY WHITE 242 | 6400K WHITE	1.5w	10w	100	200
VT-201-N	21240 | 3000K WARM WHITE	1.1W	10w	100	400



- G4 Base
- DC:12V
- PF: >0.5
- CRI: >81
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-234	131 | 3000K WARM WHITE 132 | 4000K DAY WHITE 133 | 6400K WHITE	3.2w	30w	385	200
VT-234-N	21131 | 3000K WARM WHITE 21132 | 4000K DAY WHITE	3.2W	30w	385	400



- G9 Base
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-203	243 | 3000K WARM WHITE 244 | 4000K DAY WHITE 245 | 6400K WHITE	2.5w	20w	200	200
VT-203-N	21243 | 3000K WARM WHITE 21244 | 4000K DAY WHITE 21245 | 6500K WHITE	2.2W	20w	200	400

*Suitable for use up to 10–12 hours daily, constant use of the product will void the warranty.



- G9 Base
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 30,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-204	246 | 3000K WARM WHITE 247 | 4000K DAY WHITE 248 | 6400K WHITE	3w	25w	300	200
VT-204-N	21246 | 3000K WARM WHITE 21247 | 4000K DAY WHITE 21248 | 6500K WHITE	3W	30w	330	400


LED SPOTLIGHTS

38° Beam Angle

Achieve beautiful directional lighting with a narrow, focused glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life and 38° beam angle.


5 YEAR WARRANTY







- GU10 Base
- AC:220-240V,50Hz
- PF:
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-232	869 | 3000K WARM WHITE 870 | 4000K DAY WHITE 871 | 6400K WHITE	2w	15w	180	200
VT-232-N	21869 | 3000K WARM WHITE 21870 | 4000K DAY WHITE 21871 | 6400K WHITE	2w	15w	180	200



- GU10 Base
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-275	108 | 3000K WARM WHITE 797 | 4000K DAY WHITE 511 | 6400K WHITE	5w	40w	380	192
VT-275-N	21108 | 3000K WARM WHITE 21797 | 4000K DAY WHITE 21511 | 6500K WHITE	4.5W	50w	345	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- GU10 Base
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 30,000-hour Lifespan




DIMMABLE LIGHT CONTROL

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-275D	109 | 3000K WARM WHITE 512 | 4000K DAY WHITE 897 | 6400K WHITE	5w	35w	380	192



- GU5.3 Base
- DC:12V
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-267	207 | 3000K WARM WHITE 208 | 4000K DAY WHITE 209 | 6400K WHITE	6.5w	40w	450	200
VT-267-N	21207 | 3000K WARM WHITE	6W	60w	445	200



- GU10 Base
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-227	189 | 3000K WARM WHITE 190 | 4000K DAY WHITE 191 | 6400K WHITE	6.5w	60w	480	200
VT-227-N	21189 | 3000K WARM WHITE	6W	60w	445	200



- GU10 Base
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan



DIMMABLE LIGHT CONTROL


5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-227D	195 | 3000K WARM WHITE 196 | 4000K DAY WHITE 197 | 6400K WHITE	6.5w	55w	450	200
VT-227D-N	21195 | 3000K WARM WHITE 21196 | 4000K DAY WHITE 21197 | 6500K WHITE	6W	60w	445	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- GU10 Base
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-277	165 | 3000K WARM WHITE 166 | 4000K DAY WHITE 167 | 6400K WHITE	7w	60w	480	200



- GU10 Base
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-291	875 | 3000K WARM WHITE 876 | 4000K DAY WHITE 877 | 6400K WHITE	8w	80w	720	200
VT-291-N	21875 | 3000K WARM WHITE 21876 | 4000K DAY WHITE 21877 | 6500K WHITE	7.5W	70w	610	200

LED SPOTLIGHTS


Evolution Series 110°

Achieve a warm soft glow in any room with our improved GU10 spotlight with 30,000-hr lamp life and 160 lumen/watt.

5 YEAR WARRANTY


evolution 160 LUMENS/W







- GU10 Base
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 25,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2335	2837 | 3000K WARM WHITE 2838 | 4000K DAY WHITE 2839 | 6400K WHITE	5w	75	800	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED SPOTLIGHTS

110° Beam Angle

Achieve beautiful directional lighting with a broader glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life and 110° beam angle.


5 YEAR WARRANTY







- GU10 Base
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-205	201 | 3000K WARM WHITE 202 | 4000K DAY WHITE 203 | 6400K WHITE	5w	35w	400	200
VT-205-N	21201 | 3000K WARM WHITE 21202 | 4000K DAY WHITE 21203 | 6500K WHITE	4.5W	35w	400	200



- GU5.3 Base
- DC:12V
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-257	204 | 3000K WARM WHITE 205 | 4000K DAY WHITE 206 | 6400K WHITE	6.5w	40w	450	200
VT-257-N	21206 | 6500K WHITE	6W	60w	445	200



- GU10 Base
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-247	192 | 3000K WARM WHITE 193 | 4000K DAY WHITE 194 | 6400K WHITE	6.5w	60w	480	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- GU10 Base
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan




DIMMABLE
LIGHT CONTROL

5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-247D	198 | 3000K WARM WHITE 199 | 4000K DAY WHITE 200 | 6400K WHITE	6.5w	55w	450	200
VT-247D-N	21198 | 3000K WARM WHITE 21199 | 4000K DAY WHITE	6W	60w	445	200



- GU10 Base
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan




5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-292	872 | 3000K WARM WHITE 873 | 4000K DAY WHITE 874 | 6400K WHITE	8w	80w	720	200
VT-292-N	21872 | 3000K WARM WHITE 21873 | 4000K DAY WHITE 21874 | 6500K WHITE	7.5W	70w	610	200



- GU10 Base
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 30,000-hour Lifespan




5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-271	878 | 3000K WARM WHITE 879 | 4000K DAY WHITE 880 | 6400K WHITE	10w	70w	1000	200
VT-271-N	21878 | 3000K WARM WHITE 21879 | 4000K DAY WHITE 21880 | 6500K WHITE	10w	70w	1000	200



- GU10 Base
- AC:220-240V,50Hz
- PF:
- CRI: >80
- 30,000-hour Lifespan



5 YEAR
WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-249	20026 | 3000K WARM WHITE 20027 | 4000K DAY WHITE 20028 | 6400K WHITE	6w	50w	500	200
VT-249-N	2120026 | 3000K WARM WHITE	6W	60w	445	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC®

INNOVATIVE LED LIGHTING

SAMSUNG LED

Illuminated



LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. Our recent in-branding program enabled us to equip all LED PRO Series lamp range with LEDs provided by Samsung.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range of options to replace 60W to 150W traditional lamps and achieve energy-saving lighting in your home, office, or business.

Key Features

• Includes Amber & Clear Filament Bulbs, High Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
• Lightweight yet durable body: made of Aluminium + ASA plastic
• Designed with optimal thermal management
• 80% lower power consumption
• Dimmable options available
• 30,000-hour lifespan: remarkable performance than conventional and other LED lamps

Application

General lighting in residential, commercial, and industrial areas

5 YEAR WARRANTY




V-TAC®
INNOVATIVE LED LIGHTING

evolution

LED BULBS
Evolution Series


Our bestselling LED Bulbs — now upgraded with a superior efficiency of 160 lm/W through the latest in LED technology.







- E27 Base
- A60 Shape
- AC:220-240V, 50Hz
- PF: >0.6
- CRI: >80
- 200° Beam Angle




evolution 160 LUMENS/W

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2307	2806 | 3000K WARM WHITE 2807 | 4000K DAY WHITE 2808 | 6400K WHITE	6.5W	75w	1055lm	100



- E27 Base
- A60 Shape
- AC:220-240V, 50Hz
- PF: >0.6
- CRI: >80
- 200° Beam Angle




evolution 160 LUMENS/W

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2310	2809 | 3000K WARM WHITE 2810 | 4000K DAY WHITE 2811 | 6400K WHITE	9.5W	100w	1521lm	100



- E27 Base
- A65 Shape
- AC:220-240V, 50Hz
- PF: >0.6
- CRI: >80
- 200° Beam Angle



evolution 160 LUMENS/W


5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2315	2812 | 3000K WARM WHITE 2813 | 4000K DAY WHITE 2814 | 6400K WHITE	15W	150w	2452lm	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- ED120 Shape
- AC:220-240V, 50Hz
- PF: >0.6
- CRI: >80
- 310° Beam Angle



evolution 160 LUMENS/W

2 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2324	2816 | 4000K DAY WHITE 2817 | 6400K WHITE	24W	250w	4000lm	20

LED BULBS

LED Amber Filament


V-TAC's decorative Amber Filament lamp range is devised with the latest technology to provide the warm look and feel of conventional Edison bulbs but with the efficiency of LED lamps.







- B22 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




3 YEAR WARRANTY

BAYONET HOLDER

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-228	107 | 2200K WARM WHITE	4w	35w	350	96



- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




3 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-266	286 | 2200K WARM WHITE	6w	55w	725	50

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- G125 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




120 lm/W

3 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-297	291 | 2200K WARM WHITE	6w	55w	725	20



- E27 Base
- ST64 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



120 lm/W


3 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-276	290 | 2200K WARM WHITE	6w	55w	725	50

LED BULBS

LED Clear Filament


V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.







- B22 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan



3 YEAR WARRANTY


BAYONET HOLDER

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-208	106 | 3000K WARM WHITE	4w	40w	400	96

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- B22 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




3 YEAR WARRANTY

BAYONET HOLDER

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-222	105 | 3000K WARM WHITE	4w	40w	400	192



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-254	272 | 2700K WARM WHITE	4w	35w	400	100



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




DIMMABLE LIGHT CONTROL

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-254D	278 | 2700K WARM WHITE	4w	30w	350	100



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-274	279 | 2700K WARM WHITE	4w	35w	400	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-264	275 | 2700K WARM WHITE	4w	35w	400	100



- B15 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- Lifespan




DIMMABLE LIGHT CONTROL

3 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-284D	862 | 3000K WARM WHITE	4w	30w	350	100



- E27 Base
- G45 Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-244	280 | 2700K WARM WHITE 944 | 4000K DAY WHITE	4w	35w	400	100



- E27 Base
- G95 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




3 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-286	294 | 2700K WARM WHITE	6w	60w	806	20

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- G125 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 300° Beam Angle
- 20,000-hour Lifespan




3 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-287	292 | 2700K WARM WHITE	6w	60w	806	20

LED BULBS
High Lumen Bulbs


The High Lumen range takes it up a notch with a broad selection of our bestselling lamps but brighter light at less wattage. Achieve next level efficiency in any room.







- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




120 lm/W

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-255	258 | 3000K WARM WHITE 259 | 4000K DAY WHITE 260 | 6400K WHITE	4.5w	40w	470	200



- E27 Base
- G45 Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan



120 lm/W


5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-245	261 | 3000K WARM WHITE 262 | 4000K DAY WHITE 263 | 6400K WHITE	4.5w	40w	470	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E14 Base
- P45 Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




120 lm/W

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-225	264 | 3000K WARM WHITE 265 | 4000K DAY WHITE 266 | 6400K WHITE	4.5w	40w	470	200



- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




120 lm/W

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-265	255 | 3000K WARM WHITE 256 | 4000K DAY WHITE 257 | 6400K WHITE	6.5w	60w	806	100



- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




120 lm/W

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-285	252 | 3000K WARM WHITE 253 | 4000K DAY WHITE 254 | 6400K WHITE	8.5w	75w	1055	100



- E27 Base
- A65 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



120 lm/W

5 YEAR WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-295	249 | 3000K WARM WHITE 250 | 4000K DAY WHITE 251 | 6400K WHITE	12w	100w	1521	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- G120 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

120 lm/W



5 YEAR WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-242	20021 | 3000K WARM WHITE 20022 | 4000K DAY WHITE 20023 | 6400K WHITE	22w	160	2650	20
VT-242-N	2120021 | 3000K WARM WHITE 2120022 | 4000K DAY WHITE 2120023 | 6500K WHITE	22W	155w	2600	20

LED BULBS

LED Thermoplastic Bulbs


A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.







- E14 Base
- ST26 Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 230° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-202	234 | 3000K WARM WHITE 235 | 4000K DAY WHITE 236 | 6400K WHITE	2w	20w	180	400
VT-202-N	21234 | 3000K WARM WHITE 21235 | 4000K DAY WHITE 21236 | 6500K WHITE	2W	18w	180	400



- E14 Base
- T37 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 230° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-248	267 | 3000K WARM WHITE 268 | 4000K DAY WHITE 269 | 6400K WHITE	8w	50w	660	200
VT-248-N	21269 | 6500K WHITE	7.5W	50w	660	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- T37 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 230° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-237	144 | 3000K WARM WHITE 145 | 4000K DAY WHITE 146 | 6400K WHITE	8w	50w	660	200
VT-237-N	21146 | 6500K WHITE	7.5W	50w	660	200



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-226	171 | 3000K WARM WHITE 172 | 4000K DAY WHITE 173 | 6400K WHITE	5.5w	40w	470	200



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

DIMMABLE LIGHT CONTROL




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-293D	20045 | 3000K WARM WHITE 20186 | 4000K DAY WHITE 20187 | 6400K WHITE	5.5w	40w	470	200
VT-293D-N	2120186 | 4000K DAY WHITE 2120187 | 6500K WHITE	5.5W	40w	470	200



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



DIMMABLE LIGHT CONTROL


5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-294D	859 | 3000K WARM WHITE	5.5w	40w	470	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-289	858 | 3000K WARM WHITE	5.5w	40w	470	200



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-258	117 | 3000K WARM WHITE 118 | 4000K DAY WHITE 119 | 6400K WHITE	5.5w	40w	470	200



- E14 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-268	111 | 3000K WARM WHITE 112 | 4000K DAY WHITE 113 | 6400K WHITE	7w	45w	600	200



- E27 Base
- G45 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-246	174 | 3000K WARM WHITE 175 | 4000K DAY WHITE 176 | 6400K WHITE	5.5w	40w	470	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- G45 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-283	857 | 3000K WARM WHITE	5.5w	40w	470	200



- E27 Base
- G45 Shape
- AC:220-240V
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-290	866 | 3000K WARM WHITE 867 | 4000K DAY WHITE 868 | 6400K WHITE	7w	45w	600	200
VT-290-N	21867 | 4000K DAY WHITE 21868 | 6500K WHITE	6.5W	45w	600	200



- E14 Base
- P45 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-236	168 | 3000K WARM WHITE 169 | 4000K DAY WHITE 170 | 6400K WHITE	5.5w	40w	470	200



- E14 Base
- P45 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-282	856 | 3000K WARM WHITE	5.5w	40w	470	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E14 Base
- P45 Shape
- AC:220-240V
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-270	863 | 3000K WARM WHITE 864 | 4000K DAY WHITE 865 | 6400K WHITE	7w	45w	600	200



- E14 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-269	114 | 3000K WARM WHITE 115 4000K DAY WHITE 116 | 6400K WHITE	9w	60w	806	100
VT-269-N	21115 | 4000K DAY WHITE	8.5W	60w	806	100



- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-210	228 | 3000K WARM WHITE 229 | 4000K DAY WHITE 230 | 6400K WHITE	9w	60w	806	100



- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-212	231 | 3000K WARM WHITE 232 | 4000K DAY WHITE 233 | 6400K WHITE	11w	75w	1055	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




DIMMABLE LIGHT CONTROL

5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-262D	20044 | 3000K WARM WHITE 20184 | 4000K DAY WHITE 20185 | 6400K WHITE	12w	75w	1055	100



- E27 Base
- A65 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-215	159 | 3000K WARM WHITE 160 | 4000K DAY WHITE 161 | 6400K WHITE	15w	85w	1250	100



- E27 Base
- A65 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-217	162 | 3000K WARM WHITE 163 | 4000K DAY WHITE 164 | 6400K WHITE	17w	100w	1521	100



- E27 Base
- A65 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



DIMMABLE LIGHT CONTROL


5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-217D	20188 | 3000K WARM WHITE 20189 | 4000K DAY WHITE 20190 | 6400K WHITE	17w	100w	1521	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E27 Base
- A80 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-298	126 | 3000K WARM WHITE 127 | 4000K DAY WHITE 128 | 6400K WHITE	18w	125w	2000	100



- E27 Base
- A80 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-233	237 3000K WARM WHITE 238 | 4000K DAY WHITE 239 | 6400K WHITE	20w	150w	2452	50
VT-233-N	21237 | 3000K WARM WHITE 21238 | 4000K DAY WHITE 21239 | 6500K WHITE	20W	150w	2452	50



- B15 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

BAYONET HOLDER



5 YEAR WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-299	860 | 3000K WARM WHITE	5.5w	40w	470	200
VT-299-N	21860 | 3000K WARM WHITE	5.5w	40w	470	200



- B15 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

DIMMABLE LIGHT CONTROL

BAYONET HOLDER



5 YEAR WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-299D	861 | 3000K WARM WHITE	5.5w	40w	470	200
VT-299D-N	21861 | 3000K WARM WHITE	5.5W	40w	470	200

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- B22 Base
- Candle Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

BAYONET HOLDER




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-223	103 | 3000K WARM WHITE 20152 | 6400K WHITE	5.5w	40w	470	192
VT-223-N	21103 | 3000K WARM WHITE 2120152 | 6500K WHITE	4.5W	40w	470	200



- B22 Base
- G45 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 180° Beam Angle
- 30,000-hour Lifespan

BAYONET HOLDER




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-221	104 | 3000K WARM WHITE	5.5w	40w	470	192
VT-221-N	21104 | 3000K WARM WHITE	4.5W	40w	470	200



- B22 Base
- A58 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

BAYONET HOLDER



5 YEAR WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-229	101 | 3000K WARM WHITE 850 | 4000K DAY WHITE 851 | 6400K WHITE	9w	60w	806	96
VT-229-N	21101 | 3000K WARM WHITE 21850 | 4000K DAY WHITE 21851 | 6500K WHITE	8.5W	60w	806	100



- B22 Base
- A58 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

DIMMABLE LIGHT CONTROL

BAYONET HOLDER



5 YEAR WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-259D	852 | 3000K WARM WHITE	9w	60	806	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- B22 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

BAYONET HOLDER




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-213	110 | 4000K DAY WHITE	11w	75w	1055	100
VT-213-N	21110 | 4000K DAY WHITE	10.5w	75w	1055	100



- B22 Base
- A60 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

BAYONET HOLDER




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-231	102 | 3000K WARM WHITE 853 | 6400K WHITE	11w	75w	1055	96
VT-231-N	21102 | 3000K WARM WHITE 21853 | 6500K WHITE	10.5W	75w	1055	100



- B22 Base
- A65 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan

BAYONET HOLDER



5 YEAR WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-281	854 | 3000K WARM WHITE 943 | 4000K DAY WHITE 855 | 6400K WHITE	15w	85w	1250	100
VT-281-N	21854 | 3000K WARM WHITE 21855 | 6500K WHITE	15W	100w	1521	100

LED BULBS

LED Reflector Bulb

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.






*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



- E14 Base
- R39 Shape
- AC:220-240V,50Hz
- PF: >0.4
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-239	210 | 3000K WARM WHITE 211 | 4000K DAY WHITE 212 | 6400K WHITE	3w	25w	250	200



- E14 Base
- R50 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-250	138 | 3000K WARM WHITE 139 | 4000K DAY WHITE 140 | 6400K WHITE	6w	40w	470	200
VT-250-N	21238 | 3000K WARM WHITE 21239 | 4000K DAY WHITE 21140 | 6500K WHITE	4.8W	40w	470	200



- E27 Base
- R63 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-263	141 | 3000K WARM WHITE 142 | 4000K DAY WHITE 143 | 6400K WHITE	8w	60w	570	200
VT-263-N	21141 | 3000K WARM WHITE	8.5W	60w	806	100



- E27 Base
- R80 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-280	135 | 3000K WARM WHITE 136 | 4000K DAY WHITE 137 | 6400K WHITE	10w	75w	800	200
VT-280-N	21135 | 3000K WARM WHITE	11W	75w	1055	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

LED BULBS


LED PAR Bulb

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.





- E27 Base
- PAR20 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 40° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-220	147 | 3000K WARM WHITE 148 | 4000K DAY WHITE 149 | 6400K WHITE	7w	65w	495	100
VT-220-N	21149 | 6500K WHITE	5.8W	55w	425	100



- E27 Base
- PAR30 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 40° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-230	153 | 3000K WARM WHITE 154 | 4000K DAY WHITE 155 | 6400K WHITE	11w	95w	825	30



- E27 Base
- PAR38 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 40° Beam Angle
- 30,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-238	150 | 3000K WARM WHITE 151 | 4000K DAY WHITE 152 | 6400K WHITE	14w	120w	1100	30
VT-238-N	21151 | 4000K DAY WHITE	12.8W	105w	925	30

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz


LED BULBS
Big Bulb & UFO

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.





- E27 Base
- F150 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-216	213 | 3000K WARM WHITE 214 | 4000K DAY WHITE 215 | 6400K WHITE	15w	85w	1200	20



- E27 Base
- F200 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-224	216 | 3000K WARM WHITE 217 | 4000K DAY WHITE 218 | 6400K WHITE	24w	120w	1950	20



- E27 Base
- F250 Shape
- AC:220-240V,50Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-235	219 | 3000K WARM WHITE 220 | 4000K DAY WHITE 221 | 6400K WHITE	36w	170w	2900	20

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

- GX53 Base
- Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-207	222 | 3000K WARM WHITE 223 | 4000K DAY WHITE 224 | 6400K WHITE	7w	45w	550	200
VT-207-N	21222 | 3000K WARM WHITE 21223 | 4000K DAY WHITE 21224 | 6500K WHITE	6.4W	45w	560	200



- E27 Base
- G120 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-218	226 | 4000K DAY WHITE	17w	100w	1521	20



- E27 Base
- G120 Shape
- AC:220-240V,50Hz
- PF: >0.5
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan




5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-288	123 | 3000K WARM WHITE 124 | 4000K DAY WHITE 125 | 6400K WHITE	18w	125w	2000	20



- E27 Base
- NA Shape
- AC:220-240V,50Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



2 YEAR WARRANTY


Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-240	283 | 3000K WARM WHITE 284 | 4000K DAY WHITE 285 | 6400K WHITE	36w	250w	3960	20

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz



- E40 Base
- NA Shape
- AC:220-240V,50Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-260	186 | 3000K WARM WHITE 187 | 4000K DAY WHITE 188 | 6400K WHITE	60w		5400	20



- E40 Base
- NA Shape
- AC:100-277V,50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- 30,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-85	521 | 6400K WHITE	85w		6800	4

LED BULBS

LED Emergency Bulb


The Emergency Bulb is equipped with battery back-ups which enable the unit to work for up to 3-hour in power outages and other emergency situations. It is also a portable, multifunctional LED bulb which can also be used as camping light, flashlight, hooklight, warehouse light, and more.







- E27 Base
- A70 Shape
- AC:220-240V,50Hz
- CRI: >80
- 200° Beam Angle
- 30,000-hour Lifespan



3 HOURS EMERGENCY BATTERY

2 YEAR WARRANTY

Model	SKU	Watts	Lumen	Box Qty
VT-2309	2371 | 3000K WARM WHITE 2372 | 4000K DAY WHITE 2373 | 6400K WHITE	9w	806	50

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED BULBS
Acrylic Bulbs

V-TAC's Acrylic Bulb range with its unique designs, all with significantly greater luminous flux. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.





- E27 Base
- NA Shape
- AC: 200-240V,50/60Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2311	2781 | 3000K WARM WHITE 2782 | 4000K DAY WHITE 2783 | 6400K WHITE	11w	70w	900	18



- E27 Base
- NA Shape
- AC: 200-240V,50/60Hz
- PF: >0.5
- CRI: >80
- 120° Beam Angle
- 30,000-hour Lifespan



5 YEAR WARRANTY

Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2318	2784 | 3000K WARM WHITE 2785 | 4000K DAY WHITE 2786 | 6400K WHITE	18w	90w	1200	18

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

www.rozsvitimesvet.cz

Certificates


DIALux Partner

Certificate

This is to cerify that

V-TAC Europe Ltd.

is an official DIALux Partner.

2021

DIALux improves the lighting design process by making it accessible and easy to apply for everyone.

Lüdenscheid, 04.01.2021

Dieter Polle
Chief Executive Officer

Friedrich W. Bremecker
Business Unit Director Sales

DIALux is a registered trademark of DIAL GmbH.

www.dialux.com

DIALux Partner


CERTIFICATE

No. Z1A 18 10 93564 009

Holder of Certificate: V-TAC Europe Ltd.

Certification Mark:

Product: LED Lamps
LED Lamp

Tested according to:

TUV


Certificate of Conformity

RoHS

RoHS


Certificate of Conformity

CE

CE / LVD

DEKRA

TÜV SÜD

TÜV Rheinland ZERTIFIZIERT

GS

www.tuv.com ID 1111227954

RoHS COMPLIANT

CE/EMC

ACCREDITATION FROM TOP EUROPEAN LABS

ONE BRAND, *ENDLESS SOLUTIONS.*



SAMSUNG LED Illuminated

5 YEAR WARRANTY*

SOLD IN OVER 70 COUNTRIES

Sofia Office

V-TAC EUROPE Ltd41, bul.Rozhen,
1271 Sofia, Bulgaria
www.v-tac.eu

UK Office

V-TAC House, Kelpatrick Road,
Slough, Berkshire, SL1 6BW, UK.
www.v-tac.co.uk

Middle East Office

Unit# 407/8/9 Jumeirah Bay Towers,
Plot# X3, JLT,P.O. Box 45244, Dubai.
www.vtacexports.comUK

CATALOG Q2- 2022

V-TAC® INNOVATIVE LED LIGHTING